

AUSSIE HYDROTEK BRILLIANT DESIGN ... TOUGH ON GRIME



STEAM CLEANERS

The **Aussie Hydroteks** are compact, high pressure, mobile steam cleaners with serious cleaning power. They are designed to perform heavy duty cleaning without needing any outside electrical power.

An invaluable tool for councils, property management companies, service companies, mechanics or anyone requiring a mobile cleaning solution for dirt, grease and grime.

Key features

- Industrial petrol/diesel engines
- Heavy duty triplex pump
- Rugged 'Pro-Tect-It' frame with stainless steel panels for corrosion resistance
- 12v or 110v low voltage diesel fired burner system
- Available skid mounted, trailer mounted
- Clean & capture system option
- Mine spec versions ... super tough



Aussie Hydrotek JAWS ... p48 & 50



Aussie Hydro-Loop Clean & Capture ... p51

BLASTER BLITZ 7 | JULY 22 ISSUE 1



AUSSIE HYDROTEK ... PETROL BRILLIANT DESIGN, TOUGH ON GRIME



HSS40005HH



- ◆ **Heavy duty** triplex pump with brass pump head
- ◆ **Adjustable temperature** up to 130°C, steam melts grease without using chemicals.
- ◆ **Water tight electrical box** with battery.
- ◆ **Robust "Pro-TECT"** steel frame with built-in lifting eyes for transportation.
- ◆ **Stainless steel panels** and boiler cover.
- ◆ ***Two gun operation available** on AF versions (reduces flow to 10 lpm per gun)
- ◆ **Battery ordered separately** (ABATTERYHW \$240)

Specifications

| | Safety Class | Pressure | EWP with turbo | Flow | Max Temp | Engine | Pump | Nozzle size | Loop option |
|--|--------------|---------------------|----------------|--------|----------|-------------|-----------|-----------------------------------|-------------|
| COMMERCIAL SERIES ... up to 20 hrs per week, 12v low voltage burner | | | | | | | | | |
| HSS40005HH | A | 4,000 psi (275 bar) | 6,485 psi | 18 lpm | 130°C | Honda GX630 | AR | 045 (15°, 40°) 035 (25° steam) | No |
| INDUSTRIAL SERIES ... over 20 hrs per week, 110v burner with on-board generator | | | | | | | | | |
| HSC40005HAF# | A | 4,000 psi (275 bar) | 6,485 psi | 20 lpm | 130°C | Honda GX630 | Bertolini | 025,035,045, 050 (all 15°) | Yes |

Stock codes & pricing

| | | Weight & Dimensions (LxWxH) m | | | |
|--------------|-------------|-------------------------------|---------------|-----------------|--|
| HSS40005HH | HSS40005HH | 204 kg | 1.2x0.66x1.02 | \$21,204 | |
| HSC40005HAF# | HSC40005HAF | 306 kg | 1.3x0.9x1.0 | \$22,800 | |

Accessories supplied with machine

| | | |
|--------|--------------------|---------------------|
| Hose | AHW06M22X2X15 | 15m R2 3/8" |
| Gun | CGPDG5010 | 5,000 psi pro gun |
| Lance | C3905.16 + CD10073 | 1200mm single lance |
| Nozzle | C915__Q | Quick tip nozzle |

Optional accessories FASTER, SMARTER, SAFER

Turbo Kit 60% MORE BITE

p 59

Turbo lance/gun kit.... Increase the effective working pressure of your blaster!



CTN400-__GLK (insert nozzle size) \$452

CLEAN FLAT SURFACES FAST

p 75

SLASH CLEANING TIMES BY 75%

Stainless steel flat surface cleaners

Clean four times faster, leaving a streak free finish. Standard nozzles included

AGPDFSC22Z \$1,624

(22" Cyclone 80°C max)

HANT28 \$2,933

(28" Twister 120°C max)



Extra length hose ... CONVENIENT

p 70

Cleaning large plant?...

reach further with these extra length

Aussie Blue-Pro hoses, 5,800 psi rated

R2 wire braid hose, 3/8 female ends

(M22 couplings sold separately)

AHW06FB6FB6X20 (20m) \$350

AHW06FB6FB6X30 (30m) \$524

AHW06FB6FB6X50 (50m) \$811

M212003540 (M22 QC) \$23 (2 required)

M212003660 nipple to join 2 hoses \$16



5,000 psi Stainless Steel Hose Reel

p 73

Store extra length hoses, suited for hot

water hose up to 5,000 psi, must be wall

mounted.



HAR150 (ss reel only) \$743

HAR151 (holds up to 75m) \$935

AHW06FB6FB6X2 (2m whip hose) \$48

MPA13.5051.51 (3/8" nipple) \$51

M212003540 (M22 QC) \$23

Drain Clearing Kit, SAFE & SIMPLE

p 73

Includes Aussie Viper Mini Reel

with 60 metres of 3/16" sewer

hose. Full Aussie Jettors Tool Box,

including quick coupler to fit to

end of blaster high pressure hose.


Includes Safety Plate.

ADRAINKIT

\$3,384



AUSSIE HYDROTEK ... DIESEL BRILLIANT DESIGN, TOUGH ON GRIME



HSCX50005DG

5 year coil warranty on
5,000 psi machines

- ◆ **Heavy duty** triplex pump with brass pump head
- ◆ **Adjustable temperature** up to **130°C**, steam melts grease without using chemicals
- ◆ **Water tight electrical box** with battery
- ◆ **Robust "Pro-TECT" steel frame** with built-in lifting eyes for transportation
- ◆ **Stainless steel panels** and boiler cover
- ◆ **#Two gun operation** available on AF versions (reduces flow to 10 lpm per gun)
- ◆ **Battery ordered separately** (ABATTERYHW \$240)



see p 47- 48

Specifications

| | Safety Class | Pressure | EWP with turbo | Flow lpm | Burner voltage | Engine | Pump | Nozzle size | Loop option |
|---------------|--------------|---------------------|----------------|----------|----------------|-------------|--------------------|---------------------------|-------------|
| HSCX40005DB12 | A | 4,000 psi (275 bar) | 6,485 psi | 20 | 12v | Kubota 17HP | Interpump TSF 1819 | 050 (Q type, 15°,25°,40°) | No |
| HSCX40005DG | A | 4,000 psi (275 bar) | 6,485 psi | 20 | 110v | Kubota 17HP | Interpump TSF 1819 | 050 (Q type, 15°,25°,40°) | Yes |
| HSCX50005DG | B | 5,000 psi (350 bar) | 8,500 psi | 18 | 110v | Kubota 17HP | Interpump TSF 1821 | 040 (M, 15°,25°,40°) | Yes |

Stock codes & pricing

| | | Weight & Dimensions (LxWxH) m | | |
|---------------|---------------|-------------------------------|------------------|-----------------|
| HSCX40005DB12 | HSCX40005DB12 | 310 kg | 1.3 x 0.82 x 1.2 | \$32,480 |
| HSCX40005DG | HSCX40005DG | 310 kg | 1.3 x 0.82 x 1.2 | \$32,305 |
| HSCX50005DG* | HSCX50005DG | 395 kg | 1.3 x 0.9 x 1.0 | Poa |



Class B machines supplied with emergency stop & FREE hose restraint

Accessories supplied with machine

| | | |
|-------|--------------------|---------------------|
| Hose | AHW06M22X2X15 | 15m R2 3/8" |
| Gun | CGPDG5010 | 5,000 psi pro gun |
| Lance | C3905.16 + CD10073 | 1200mm single lance |



PPE to 500 bar ... p 80

Optional accessories FASTER, SMARTER, SAFER

Turbo Kit 60% MORE BITE p 59

Turbo lance/gun kit.... Increase the effective working pressure of your blaster!



| | | |
|------------------|----------------------|-------|
| CTN400-___GLK | (insert nozzle size) | \$452 |
| CTN400-___GLKM24 | (insert nozzle size) | \$464 |

CLEAN FLAT SURFACES FAST p 75

SLASH CLEANING TIMES BY 75%

Stainless steel flat surface cleaners

Clean four times faster, leaving a streak free finish. Standard nozzles included



AGPDFSC22Z \$1,624

(22" Cyclone 80°C max)

HANT28 \$2,933

(28" Twister 120°C max)

Extra length hose ... CONVENIENT p 70

Cleaning large plant?... reach further with these extra length

Aussie Blue-Pro hoses, 5,800 psi rated, R2 wire braid hose, 3/8 female ends (M22 & M24 couplings sold separately)



| | | |
|----------------|------------------------|-------------------|
| AHW06FB6FB6X20 | (20m) | \$350 |
| AHW06FB6FB6X30 | (30m) | \$524 |
| AHW06FB6FB6X50 | (50m) | \$811 |
| M212003540 | (M22 QC) | \$23 (2 required) |
| MPA26065050 | (M24 QC) | \$46 (2 required) |
| M212003660 | nipple to join 2 hoses | \$16 |

5,000 psi Stainless Steel Hose Reel p 73

Store extra length hoses, suited for hot water hose up to 5,000 psi, must be wall mounted.



| | | |
|---------------|-------------------|-------|
| HAR150 | (ss reel only) | \$743 |
| HAR151 | (holds up to 75m) | \$935 |
| AHW06FB6FB6X2 | (2m whip hose) | \$48 |
| MPA13.5051.51 | (3/8" nipple) | \$51 |
| M212003540 | (M22 QC) | \$23 |
| MPA26065050 | (M24 QC) | \$46 |

Drain Clearing Kit, SAFE & SIMPLE p 73

Includes Aussie Viper Mini Reel with 60 metres of 3/16" sewer hose. Full Aussie Jetters Tool Box, including quick coupler to fit to end of blaster high pressure hose. Includes Safety Plate.



ADRAINKIT \$3,384



HYDRO-TEK MOBI STEAM BLASTERS

The **Hydrotek series** are high pressure, mobile steam cleaners with serious cleaning power. They are self contained so no external power or water source is required.



HSC40005HAF skid mount

A skid mounted mobile steam cleaner with it's own water supply that is ideal for on site cleaning for plant and equipment!

- ◆ Aussie Hydrotek self contained steam cleaner
- ◆ 880L water tank with float, drain valve, low level cut out sensor, lid with strainer and level indicator (Additional sizes available.)
- ◆ Heavy duty skid base with anti-vibration dampeners and lifting points (cube mounted option available)
- ◆ Double stacker hose reel (supplied separately)
- ◆ High pressure reel and base mount with 30 metres of 3/8" R2 high pressure outlet hose and screw quick couplings
- ◆ Low pressure reel and 30 metres 3/4" heavy duty reinforced supply hose
- ◆ *Two gun operation available on selected models
- ◆ Battery ordered separately (ABATTERYHW \$240)

Specifications

| | Safety Class | Pressure | EWP with turbo | Flow | Max Temp | Burner voltage | Engine | Pump | Nozzle size |
|-----------------------|--------------|---------------------|----------------|--------|----------|----------------|-------------|--------------------|--------------------------------|
| PETROL POWERED | | | | | | | | | |
| HSS40005HH | A | 4,000 psi (275 bar) | 6,485 psi | 18 lpm | 130°C | 12v | Honda GX630 | AR | 045 (15°, 40°) 035 (25° steam) |
| HSC40005HAF* | A | 4,000 psi (275 bar) | 6,485 psi | 20 lpm | 130°C | 110v | Honda GX630 | Bertolini | 025,035,045,050 (all 15°) |
| DIESEL POWERED | | | | | | | | | |
| HSCX40005DB12 | A | 4,000 psi (275 bar) | 6,485 psi | 20 lpm | 130°C | 12v | Kubota 17HP | Interpump TSF 1819 | 050 (Q type, 15°, 25°, 40°) |
| HSCX40005DG | A | 4,000 psi (275 bar) | 6,485 psi | 20 lpm | 130°C | 110v | Kubota 17HP | Interpump TSF 1819 | 050 (Q type, 15°, 25°, 40°) |

Stock codes & pricing

| | | | Weight & Dimensions (LxWxH) m | | |
|---------------|-----------------|--|-------------------------------|------------------|-----|
| HSS40005HH | HSS40005HHSM | | 1150 kg | 2.03 x 1.3 x 1.2 | poa |
| HSC40005HAF* | HSC40005HAFSM | | 1250 kg | 2.03 x 1.3 x 1.2 | poa |
| HSCX40005DB12 | HSCX40005DB12SM | | 1300 kg | 2.03 x 1.3 x 1.2 | poa |
| HSCX40005DG | HSCX40005DGSM | | 1300 kg | 2.03 x 1.3 x 1.2 | poa |



see p 48 – 50

Accessories supplied with machine

| | | |
|-------|--------------------|---------------------|
| Hose | AHW06M22X2X10 | 10m R2 3/8" |
| Gun | CGPDG5010 | 5,000 psi pro gun |
| Lance | C3905.16 + CD10073 | 1200mm single lance |

Optional accessories FASTER, SMARTER, SAFER

Turbo Kit 60% MORE BITE

p 59

Turbo lance/gun kit.... Increase the effective working pressure of your blaster!



CTN400-__ _GLK (insert nozzle size) \$452

CLEAN FLAT SURFACES FAST

p 75

SLASH CLEANING TIMES BY 75%
Stainless steel flat surface cleaners
Clean four times faster, leaving a streak free finish. Standard nozzles included

AGPDFSC22Z \$1,624
(22" Cyclone 80°C max)
HANT28 \$2,933
(28" Twister 120°C max)



Drain Cleaning Kit, SAFE & SIMPLE

p 73

Includes Aussie Viper Mini Reel with 60 metres of 3/16" sewer hose. Full Aussie Jettlers Tool Box, including quick coupler to fit to end of blaster high pressure hose and safety plate.



ADRAINKIT \$3,384





STEAM CLEANERS

HYDROTEK JAW SYSTEMS ... JUST ADD WATER MOBILE CLEANING POWER

Heavy duty self contained systems with integrated water tank ... truly independent cleaning for professional cleaning contractors. Ideal for urban graffiti removal or remote cleaning applications

- ◆ **Hydrotek self contained steam cleaner** ... Diesel or petrol powered with diesel fired burner.
- ◆ **880 litre poly impact resistant water tank** with position locking lid & water filter (larger tanks available on request)
- ◆ **20" Aussie Spinner** flat surface cleaner
- ◆ **Heavy duty stainless steel hose reel** with 30 m high pressure hose
- ◆ **Low pressure hose reel** with 30 metres of low pressure supply hose
- ◆ **Hand gun** with stainless steel 700mm dual lance & nozzle kit (except on machines fitted for dual gun operation)
- ◆ ***Two gun operation available** on selected models (reduces flow to 10 lpm per gun)
- ◆ **Tool box options**
- ◆ **Trailer Spec ...**
Heavy duty Australian made flat bed trailer (Single axle on HSS units & tandem axle on HSC units)
- ◆ **Hot dipped galvanised finish**
- ◆ **New wheels & tyres & wheels**
- ◆ **Fitted with brakes**
- ◆ **Heavy duty tool box** for storage of wash down accessories ... HSC units only.
- ◆ **Trailer provided with on road NSW blue slip ready for registration.**
- ◆ **Battery ordered separately** (ABATTERYHW \$240)

Specifications

| | Safety Class | Pressure | EW / turbo | Flow | Max Temp | Burner voltage | Engine | Pump | Nozzle size |
|-----------------------|--------------|---------------------|------------|--------|----------|----------------|-------------|--------------------|-----------------------------------|
| PETROL POWERED | | | | | | | | | |
| HSS40005HH | A | 4,000 psi (275 bar) | 6,485 psi | 18 lpm | 130°C | 12v | Honda GX630 | AR | 045 (15°, 40°) 035 (25° steam) |
| HSC40005HAF* | A | 4,000 psi (275 bar) | 6,485 psi | 20 lpm | 130°C | 110v | Honda GX630 | Bertolini | 025, 035, 045, 050 (all 15°) |
| DIESEL POWERED | | | | | | | | | |
| HSCX40005DB12 | A | 4,000 psi (275 bar) | 6,485 psi | 20 lpm | 130°C | 12v | Kubota 17HP | Interpump TSF 1819 | 050 (Q type, 15°, 25°, 40°) |
| HSCX40005DG | A | 4,000 psi (275 bar) | 6,485 psi | 20 lpm | 130°C | 110v | Kubota 17HP | Interpump TSF 1819 | 050 (Q type, 15°, 25°, 40°) |

Stock codes & pricing

| | | Dimensions (LxWxH) m | |
|---------------|------------------|----------------------|-----|
| HSS40005HH | HSS40005HHJAW | 4 x 2 x 1.8 | poa |
| HSC40005HAF | HSC40005HAFJAW | 4 x 2 x 1.8 | poa |
| HSCX40005DB12 | HSCX40005DB12JAW | 4 x 2 x 1.8 | poa |
| HSCX40005DG | HSCX40005DGJAW | 4 x 2 x 1.8 | poa |



see p 48 – 50

Accessories supplied with machine

| | | |
|-------|--------------------|---------------------|
| Hose | AHW06M22X2X30 | 30m R2 3/8" |
| Gun | CGPDG5010 | 5,000 psi pro gun |
| Lance | C3905.16 + CD10073 | 1200mm single lance |



Optional hose reel for two gun set -up



Optional accessories FASTER, SMARTER, SAFER

Turbo Lance Kit 60% MORE BITE p 59

Turbo lance/gun kit.... Increase the effective working pressure of your blaster!



CTN400-__ _GLK (insert nozzle size) \$452

CLEAN FLAT SURFACES EXTRA FAST p 75

SLASH CLEANING TIMES BY 75%
Stainless steel flat surface cleaners
Clean four times faster, leaving a streak free finish. Standard nozzles included

AGPDFSC22Z \$1,624
(22" Cyclone 80°C max)
HANT28 \$2,933
(28" Twister 120°C max)



Drain Clearing Kit, SAFE & SIMPLE p 73

Includes Aussie Viper Mini Reel with 60 metres of 3/16" sewer hose. Full Aussie Jetters Tool Box, including quick coupler to fit to end of blaster high pressure hose. Includes Safety Plate.

ADRAINKIT \$3,384



BLASTER BLITZ 7 | JULY 22 ISSUE 1



HYDROTEK MINE SPEC SERIES

.. mobile steam cleaning



Shown with optional hose reels



Aussie Mine spec includes

- ◆ Emergency stop
- ◆ Fire extinguisher (2 Kg)
- ◆ Lockable battery isolator



The HSCX series "Hammerhead" are diesel powered hot water mobile wash units with serious cleaning power.

They are engineered for performance, durability and corrosion resistance.

- ◆ **Powerful Kubota diesel**, multi cylinder engine
- ◆ **Heavy duty triplex pump** with nickel plated pump head
- ◆ **Stainless steel protection panels & boiler cover**

- ◆ **Diesel powered burner** with variable temperature control
- ◆ **Built-in diesel fuel tank.** (68 L)
- ◆ **Water tight electrical box** with battery
- ◆ 4,000 psi machines ... Lifetime warranty
5,000 psi machines ... 5 year coil warranty
- ◆ **Battery ordered separately** (ABATTERYHW \$240)

Specifications

| | Safety Class | Pressure | EWP with turbo | Flow | Max Temp | Burner voltage | Engine | Pump | Nozzle size |
|-----------------------|--------------|---------------------|----------------|--------|----------|----------------|-------------|--------------------|---------------------------|
| DIESEL POWERED | | | | | | | | | |
| HSCX40005D12 | A | 4,000 psi (275 bar) | 6,485 psi | 20 lpm | 130° C | 12v | Kubota 17HP | Interpump TSF 1819 | 050 (Q type, 15",25",40") |
| HSC50005D* | B | 5,000 psi (350 bar) | 8,500 psi | 18 lpm | 130° C | 110v | Kubota 20HP | Interpump TSF 1821 | 040 (M type, 15",25",40") |

Stock codes & pricing

| | | Weight | Dimensions (LxWxH) m | |
|--------------|----------------|--------|----------------------|-----|
| HSCX40005D12 | HSCX40005D12MS | 270 kg | 1.3x0.86x1.0 | Poa |
| HSC50005D* | HSC50005DMS* | 294 kg | 1.4x0.86x1.0 | poa |

Accessories supplied with machine

| | | |
|-------|--------------------|---------------------|
| Hose | AHW06M22X2X10 | 15m R2 3/8" |
| Gun | CGPDG5010 | 5,000 psi pro gun |
| Lance | C3905.16 + CD10073 | 1200mm single lance |



Class B machines supplied with emergency stop & FREE hose restraint

Optional accessories

FASTER, SMARTER, SAFER

Turbo Kit 60% MORE BITE

p 59

Turbo lance/gun kit.... Increase the effective working pressure of your blaster!



| | | |
|------------------|----------------------|-------|
| CTN400-___GLK | (insert nozzle size) | \$452 |
| CTN400-___GLKM24 | (insert nozzle size) | \$464 |


CLEAN FLAT SURFACES FAST

p 75

SLASH CLEANING TIMES BY 75%

Stainless steel flat surface cleaners
Clean four times faster, leaving a streak free finish. Standard nozzles included

| | |
|-------------------------|---------|
| AGPDFSC22Z | \$1,624 |
| (22" Cyclone 80°C max) | |
| HANT28 | \$2,933 |
| (28" Twister 120°C max) | |



Extra length hose ... CONVENIENT

p 70

Cleaning large plant?... reach further with these extra length Aussie Blue-Pro hoses, 5,800 psi rated, R2 wire braid hose, 3/8 female ends (M22 & M24 couplings sold separately)



| | | |
|----------------|------------------------|-------------------|
| AHW06FB6FB6X20 | (20m) | \$350 |
| AHW06FB6FB6X30 | (30m) | \$524 |
| AHW06FB6FB6X50 | (50m) | \$811 |
| M212003540 | (M22 QC) | \$23 (2 required) |
| MPA26065050 | (M24 QC) | \$46 (2 required) |
| M212003660 | nipple to join 2 hoses | \$15 |

5,000 psi Stainless Steel Hose Reel

p 73

Store extra length hoses, suited for hot water hose up to 5,000 psi, must be wall or trailer mounted.



| | | |
|---------------|-------------------|-------|
| HAR150 | (ss reel only) | \$743 |
| HAR151 | (holds up to 75m) | \$935 |
| AHW06FB6FB6X2 | (2m whip hose) | \$48 |
| MPA13.5051.51 | (3/8" nipple) | \$51 |
| M212003540 | (M22 QC) | \$23 |
| MPA26065050 | (M24 QC) | \$46 |

Drain Cleaning Kit, SAFE & SIMPLE

p 73

Includes Aussie Viper Mini Reel with 60 metres of 3/16" sewer hose. Full Aussie Jettors Tool Box, including quick coupler to fit to end of blaster high pressure hose. Includes Safety Plate.



| | |
|-----------|---------|
| ADRAINKIT | \$3,384 |
|-----------|---------|

Personal Protective Gear 500 bar

p 80

- ◆ Overalls
- ◆ Aprons
- ◆ Jackets
- ◆ Gloves
- ◆ Trousers
- ◆ Boots



MINE SPEC STEAM CLEANERS

SKID MOUNT



This version shows side mounted reels

TRAILER MOUNT



Super heavy duty site trailer

A skid or trailer mounted Mine Spec series mobile steam cleaner with it's own water supply. Ideal for on site cleaning!

Aussie Mine Spec Skid/Trailer mount details

- ◆ Aussie Hydrotek self contained steam cleaner
- ◆ 880 L water tank with float, drain valve, low level cut out sensor, lid with strainer and level indicator (Additional sizes available.)
- ◆ Heavy duty skid base or trailer with anti-vibration dampeners and lifting points (cube mounted option available)
- ◆ Double stacker unit (supplied separately) with
 - ◆ High pressure reel and base mount with 30 metres of 3/8" R2 high pressure outlet hose and screw quick couplings
 - ◆ low pressure reel and 30 metres 3/4" heavy duty reinforced supply hose
- ◆ **Battery ordered separately (ABATTERYHW)**
- ◆ **# Aussie Mine Spec trailer specs ...**
 - Heavy duty tandem axle trailer
 - ◆ Hot dipped galvanised finish
 - ◆ New 15" 6 stud Land Cruiser pattern wheels
 - ◆ New 31.5 mud pattern tyres
 - ◆ Extra wide mudguards to suit
 - ◆ AL-KO Ring coupling with hand brake plate
 - ◆ Supplied with Brakes
 - ◆ Heavy Duty tool box for wash down accessories
 - ◆ Vin numbered , weighed and blue slipped ready for Registration

Optional Extreme Series trailer ... poa

4.5 Tonne GVM Australian made tandem axle flat bed trailer will be provided with the following specifications:-

- ◆ Hot dipped galvanised finish
- ◆ Rocker roller suspension (4490kg) 63mm square axles (2.4T rated each)
- ◆ Four 15" white spoke wheels with off road mud pattern tyres & checker plate mudguards
- ◆ Heavy duty landing leg & two stabilizer legs
- ◆ Hitch attach options
- ◆ Checker plate front and rear mount decks
- ◆ Electric brakes standard, other options available

Specifications

| | Safety Class | Pressure | EWP with turbo | Flow | Max Temp | Burner voltage | Engine | Pump | Nozzle size |
|-----------------------|--------------|---------------------|----------------|--------|----------|----------------|-------------|--------------------|---------------------------|
| DIESEL POWERED | | | | | | | | | |
| HSCX40005D12 | A | 4,000 psi (275 bar) | 6,485 psi | 20 lpm | 130°C | 12v | Kubota 17HP | Interpump TSF 1819 | 050 (Q type, 15°,25°,40°) |
| HSC50005D* | B | 5,000 psi (350 bar) | 8,500 psi | 18 lpm | 130°C | 110v | Kubota 20HP | Interpump TSF 1821 | 040 (M type, 15°,25°,40°) |

Aussie Mine spec includes

- ◆ Emergency stop
- ◆ Fire extinguisher (2 Kg)
- ◆ Lockable battery isolator



Class B machines supplied with emergency stop & FREE hose restraint

Stock codes & pricing

| | | Skid mount version (Hydrotek + 880L tank & double stacker hose reels) | | | Trailer mount version (Hydrotek + 800L tank & double stacker hose reels) | | |
|--------------|-----------------|---|------------------|-----|--|-------------|-----|
| | | Weight | Dim (LxWxH) m | poa | Dim (LxWxH) m | | poa |
| HSCX40005D12 | HSCX40005D12MSM | 420 kg | 2.03 x 1.3 x 1.2 | poa | HSCX40005D12MTR | 4 x 2 x 1.8 | poa |
| HSC50005D* | HSC50005DMSM | 480 kg | 2.03 x 1.3 x 1.2 | poa | HSC50005DMTR | 4 x 2 x 1.8 | poa |

Accessories supplied with machine

| | | |
|-------|--------------------|---------------------|
| Hose | AHW06M22X2X30 | 30m R2 3/8" |
| Gun | CGPDG5010 | 5,000 psi pro gun |
| Lance | C3905.16 + CD10073 | 1200mm single lance |

MINE SPEC STEAM CLEANERS

BLASTER BLITZ 7 | JULY 22 ISSUE 1



MINE SPEC STEAM CLEANERS



BLASTER BLITZ 7 | JULY 22 ISSUE 1

