

<u>inter</u>

Knapsack & Compression Sprayers



Hand-Operated Compression Sprayers

Less Pumping - More Spraying



- Minimum effort ergonomic handle
- **Large filter** with viton seals in lance handle and rustproof spring
- Fibreglass lance (excluding 1L)
- Easy to use pressurisation/carrying

- Safety valve with automatic release of excess pressure
- Polypropylene tank, lightweight and very strong
- **Connector** for accessories
- Adjustable conical nozzle

with 5-Year Warranty



Hand-Held Sprayer

Elite 1 L

SKU: PGI0001L



Hand-Held Sprayer

Elite 5 L

SKU: PGI0005L



Hand-Held Sprayer

Elite 6 L

SKU: PGI0006L



Evo 12

SKU: PGI0012LE

Evo 16

SKU: PGI0016LE

<u>inter</u> **ACCESSORIES**

Quick Fit Accessories for Maximum Spray Options

Spray Hoods

Hit your target every time without collateral damage, with the Inter Elite Spray Hoods.



Rectangular Hood



SKU: ATAOOB SKU: ATAOOC

Pressure Regulator



Function 1.5 bar: Herbicide

(with deflective fan nozzle)



Function 3 bar Insecticide-fungicide (with hollow cone nozzle)

Regulator

SKU: ATAOOA




SET AND FORGET PRESSURE CONTROL

Trans Tank® International | Product Catalogue 2023 *GST included | Freight Rates Apply

INTEL ACCESSORIES

Herbicide Spray Nozzles

Consistent application rates for spraying



Evolution Lance

Complete lance to suit Inter Evo 12/16



Flexible Pipe

250mm long flexible pipe. Can be manually moulded for specialised applications.



Flexible Double Nozzle


Tubes can be manually moulded for specialised spraying requirements. Two models available, one with adjustable cone nozzles (H) and one with fan nozzles (HF)

Used for basal bark spraying and ant block treatments



Telescopic Lance

Gives your sprayer extendible length to reach hard to access areas.






Spray Booms

Three boom types to choose from to speed up your ground coverage. Lightweight for ease of use.






Lance Extensions

Increase your spray reach with these lightweight extensions. Ideal for reaching higher targets from the safety of the ground.

O.5m Extension Im Extension (Aluminium) SKU: ATA00D SKU: ATA00K SKU: ATA00L

Seals



*GST included | Freight Rates Apply Trans Tank® International | Product Catalogue 2023 35

INDUSTRIAL SPRAYERS

with 5-Year Warranty

These special sprayers are amongst the toughest on the market, and can be used safely in a wide variety of situations and conditions.

- Made of special, high resistance materials for use with various chemicals
- Viton seals for excellent chemical resistance and durability
- See liquid level at a glance with tank graduations
- Pressure safety valve ensures sprayer is protected from over pressurisation



Ideal for:

- ✓ Truck Washing
- ✓ Brick Cleaning
- ✓ Carpet Cleaning
- ✓ Wallpaper Stripping

- ✓ Animal Husbandry
- ✓ Amenity Cleaning
- ✓ Disinfecting
- ✓ Degreasing



Hand-Held Sprayer

IK1L

SKU: PGK0001L



Hand-Held Sprayer

IK6 L

SKU: PGK0006L



Hand-Held Sprayer

IK8L

SKU: PGK0008L



Knapsack Sprayer

IK12 L

SKU: PGK0012L

WeedMasta™ 16R


Rechargeable Knapsack Sprayer with Trolley

- 16 Litre capacity tank, ergonomically designed for maximum carrier comfort
- Padded shoulder straps and backrest reduces user fatigue
- Spray flow rate control for spray accuracy and reduced chemical wastage
- Over two hours of continuous spraying from a rechargeable sealed lead acid 12 volt battery

- No more frustrating tangles with our kink resistant hose
- Sturdy trolley with large handle and wheels for ergonomic operation
- Reliable and effective 2.4 L/min 70psi pump for maximum spray capacity
- On-off switch control with fuse protection
- Supplied with battery charging kit

Trolley and Knapsack

Can Be Easily Separated!



*GST included | Free Call 1800 816 277 | www.tti.com.au Trans Tank® International | Product Catalogue 2023 37

WeedControl[™] -

SPOT SPRAYERS

Spot Sprayers with 12v Pump



Spot Sprayers with 8.3 L/min Pump & Powerjet Spray Gun.

The WeedControl™ 12v Sprayer is a reliable choice for any property owner who takes pride in keeping their property in top condition.

The WeedControl™ is designed to be mounted to UTEs, UTV's and ATVs, ensuring your spraying task gets completed safely.





KEY FEATURES



8.3L/min 70psi EverFlow 12v pump with Pressure regulator and gauge for controlled spraying



Sturdy UV stabilized tank with drain for easy cleaning



4.5m Spray hose with PowerJet spray gun & adjustable brass nozzle



2.4m electrical cables with 12v adaptor & alligator clip

Trans Tank® International | Product Catalogue 2023 *GST included | Free Call 1800 816 277 | www.tti.com.au

WEEDCONTROL¹

Spot Sprayers with 12v Pump



55 Litres

12v 8.3L/min 70psi Pump with Spray Gun 865 x 390 x 345mm (LWH)

SKU: SVS0055L0077



95 Litres

12v 8.3L/min 70psi Pump with Spray Gun 865 x 390 x 435mm (LWH)

SKU: SVS0095L0077



150 Litres

12v 8.3L/min 70psi Pump with Spray Gun 900 x 620 x 500mm (LWH)

SKU: SVS0150L0077



225 Litres

12v 8.3L/min 70psi Pump with Spray Gun 900 x 620 x 650mm (LWH)

SKU: SVS0225L0077

SKID-MOUNTED

For Side-by-Sides with 8.3L/min 70psi: 12v Pump



150 Litres

\$ 2.017*

with 4m Boom

12v 8.3L/min 70psi Pump with Spray Gun 1000 x 720 x 550mm (LWH)

SKU: SVK0150L0077 / SVK0150L0077B



225 Litres

\$ 2,244*

with 4m Boom

39

12v 8.3L/min 70psi Pump with Spray Gun 1000 x 720 x 750mm (LWH)

SKU: SVK0225L0077 / SVK0225L0077B

*GST included | Freight Rates Apply Trans Tank® International | Product Catalogue 2023

WeedControl™

TRAILED

12v Spray Trailers



Spot Spray Trailers with 8.3 L/min Pump & Powerjet Spray Gun.

The WeedControl™ 12v spray trailer is a reliable choice for any property owner who takes pride in keeping their property in top condition.

The WeedControl™ is designed to be towed by a standard or zero-turn mower ensuring your spraying task gets completed safely.



with Solid Rubber Tyres



STANDARD TRAILERS

Standard drawbar for smooth towing suitable for any mower

55 Litres

12v 8.3 with 2m Boom

SKU: SVT0055L0077B2

95 Litres

12v 8.3 with 2m Boom SKU: SVT0095L0077B2

ZERO-TURN TRAILERS

Long drawbar for extra-sharp turning - up to 90° more suitable for zero-turn mowers

55 Litres

12v 8.3 with 2m Boom SKU: SVT0055L0077ZB2

95 Litres

12v 8.3 with 2m Boom SKU: SVT0095L0077ZB2

ATV TRAILERS

Large pneumatic tyres for handling rough terrain - suitable for mowers and ATV's

150 Litres

225 Litres

12v 8.3 with 3m Boom SKU: SVT0150L0077B3

12v 8.3 with 3m Boom SKU: SVT0225L0077B3

WEEDCONTROL™ BOOMS AND ACCESSORIES







2 Metre Boom

2m Spray width CODE: ABS020

3 Metre Boom

3m Spray width CODE: ABS030

4 Metre Boom

4m Spray width CODE: ABS040

















Poly 1 GHT Nut

& Tail with 10mm Hosetail SKU: ATPXP2510S



10mm Barbs (2 wav) SKU: ATPNDTT10C



NozzleBody Assy Elbow

Pack 2 | (1 way) SKU: ATPNDTE10CX2



Drain Cap

Complete with Seal SKU: ATPVC20T



Lance Clips

2 pcs of Holding Clips SKU: CHCLP12MMX2

Filter

50 Mesh Filter SKU: 8079-PP-50

Brown Nozzle

Deflector 140° SKU: CNSDEF140025

















PowerJet Spray Gun

700mm overall length with 10mm hose tail SKU: AHG110ST

Spray Hose

10mm Spray Hose

SKU: CUY58010MM

Lid

150mm Screw Lid with Seal SKU: ARLP150AT

Regulator

Pressure Regulator Assembly | QA SKU: ATRV027LQ12

Poppit Valve

On-Off Valve SKU: 34-140141

Pump

EverFlo Pump 8.3 L/min 70psi QA SKU: EF2200QA

Gauge

Gauge 0-100psi to Suit SVS WeedControl SKU: CFGD100P08B

*GST included | Freight Rates Apply Trans Tank® International Product Catalogue 2023 41

StrikeTM

Professional 12v Spot Sprayers

The Strike, a sprayer that has proved itself over many years as a versatile and reliable professional 12v sprayer in our TTi range.







200 Litres

1055 x 700 x 580mm (LWH) 6m Hose & Gun; 8.3L/min 100psi Pump

SKU: PVO0200LK0076



400 Litres

1200 x 800 x 700mm (LWH) 6m Hose & Gun; 8.3L/min 100psi Pump

SKU: PVQ0400LK0076

STRIKE & REELSTRIKE BOOM OPTIONS



BoomTech Nozzle

Boom Tech Nozzle Kit with Tailgate Bracket SKU: ABT001



#2 Boomless Nozzle

Hitchlt Hayman Reece Attachment; Boomless Nozzle SKU: ABK02-GN



4m Versatile Boom

Hitchlt Hayman Reece Attachment; Versatile Boom

SKU: ABVL040-GN

ReelStrikeTM

Professional 12v Spot Sprayers with 30m Reel

The ReelStrike™, a TTi icon sprayer that has proved itself over many years as the most versatile and reliable professional 12v sprayer in our TTi range.

The 30m reel allows you to access those "hard to get to" areas, while the 100psi pump gives you that extra pressure when you need to hit your spray target from a distance.

KEY FEATURES



8.3L/min 100psi Remco 12v pump mounted under pump cover for protection



Fully-drainable tank with a sturdy hot dip galvanised base frame



30m heavy duty poly hose reel with PowerJet spray gun



Pressure regulator and gauge for accurate & controlled spraying





200 Litres

1055 x 700 x 1100mm (LWH) 30m Hose Reel; 8.3 L/min 100psi Pump

SKU: PVQ0200LK0076H3



400 Litres

1200 x 800 x 1220mm (LWH) 30m Hose Reel; 8.3 L/min 100psi Pump

SKU: PVO0400LK0076H3



OnDeck[™]

300L Purpose-Built UTV Sprayer



Possibly the most unique and well-designed UTV Sprayer, the OnDeck™suits the ever growing UTV market.

The 300L model comes in a clever choice of pump, motor and hose reel combinations. From weed spraying to firefighting, the OnDeck range is sure to be a valuable investment.





FULLY DRAINABLE SUMP TANK



44 Trans Tank® International | Product Catalogue 2023

*GST included | Free Call 1800 816 277 | www.tti.com.au







KEY FEATURES



Fully-drainable Tank with tie-down provisions & integrated lifting handles



Pressure regulator with gauge & bypass system



Integrated freshwater bottle & tap for hand-washing



Galvanised Forkable Steel Frame



*GST included | Freight Rates Apply

Trans Tank® International | Product Catalogue 2023 45

Fits UTVs including:

Dim (LWH): 1000 x 1250 x 600mm

OnDeck™ **STANDARD**

Purpose-Built Sprayer for UTVs



Kubota LANDBOSS

BOOM & SOLENOID OPTIONS



#2 Boomless Nozzle

HitchIt Hayman Reece Attachment; Boomless Nozzle

SKU: ABK02-GN



4m Versatile Boom

HitchIt Hayman Reece Attachment; Versatile Boom

SKU: ABVL040-GN



4m Compact™ Boom

4m Folding Boom with Hayman **Reece Attachment**

SKU: ABM040-GN



Boom Elec On/Off

Boom Elec On/Off Control with Solenoid (Fitted)

SKU: ATVS10B036





300 Litres

8.3 L/min 100psi 12v Pump 30m Hose Reel; Spray Gun

SKU: PUD0300L0076H3



300 Litres

12 L/min Pump; Honda GX35 30m Hose Reel; Spray Gun

SKU: PUD0300L0120H



300 Litres

22 L/min Pump; Honda GX200 30m Hose Reel; Spray Gun

SKU: PUD0300L0220H3



300 Litres

22 L/min Pump with GX200 50m Auto-Rewind SuperReel™

SKU: PUD0300L0220Q50



300 Litres

22 L/min Pump with GX200 100m Auto-Rewind SuperReel™

SKU: PUD0300L0220Q1



| Freight Rates Apply Trans Tank® International Product Catalogue 2023

OnDeck TM COMPACT

48

Purpose-Built Sprayer for UTVs



Fits UTVs including:

Dim (LWH): 870 x 1100 x 850mm













BOOM & SOLENOID OPTIONS



#2 Boomless Nozzle

Hitchlt Hayman Reece Attachment; Boomless Nozzle

SKU: ABK02-GN



4m Versatile Boom

Hitchlt Hayman Reece Attachment; Versatile Boom

SKU: ABVL040-GN



4m Compact™ Boom

4m Folding Boom with Hayman Reece Attachment

SKU: ABM040-GN



Boom Elec On/Off

Boom Elec On/Off Control with Solenoid (Fitted)

SKU: ATVS10B036

49



150 Litres

8.3 L/min 100psi 12v Pump; 6m Hose; Spray Gun

SKU: PUD0150L0076



150 Litres

8.3 L/min 100psi 12v Pump; 30m Hose Reel; Spray Gun

SKU: PUD0150L0076H3



300 Litres

8.3 L/min 100psi 12v Pump; 30m Hose Reel; Spray Gun

SKU: PUDA0300L0076H3



300 Litres

12 L/min Pump; Honda GX35; 30m Hose Reel; Spray Gun

SKU: PUDA0300L0120H



300 Litres

22 L/min Pump; Honda GX200 30m Hose Reel; Spray Gun

SKU: PUDA0300L0220H3



300 Litres

22L/min Pump; Honda GX200; 50m SuperReel™

SKU: PUDA0300L0220Q50

| Freight Rates Apply Trans Tank® International Product Catalogue 2023



Dim (LWH): 980 x 1185 x 1095mm

BOOM & SOLENOID OPTIONS



#2 Boomless Nozzle

Hitchlt Hayman Reece Attachment; Boomless Nozzle

SKU: ABK02-GN



4m Versatile Boom

Hitchlt Hayman Reece Attachment; Versatile Boom

SKU: ABVL040-GN



4m Compact™ Boom

4m Folding Boom with Hayman Reece Attachment

SKU: ABM040-GN



Boom Elec On/Off

Boom Elec On/Off Control with Solenoid (Fitted)

SKU: ATVS10B036

Trans Tank® International | Product Catalogue 2023 | Free Call 1800 816 277 | www.tti.com.au

COMPACT WITH SUPERREEL



300 Litres

34 L/min Pump & GX200 Single 100m SuperReel™

SKU: PUDT0300L0340Q1



300 Litres

34 L/min Pump & GX200 Twin 50m SuperReel™

SKU: PUDT0300L0340TQ50



300 Litres

34 L/min Pump & GX200 Single 150m SuperReel™

SKU: PUDT0300L034002



300 Litres

34 L/min Pump & GX200 Twin 100m SuperReel™

SKU: PUDT0300L0340TQ1



51





300 Litres

Dim (LWH): 980 x 1185 x 1095mm

34 L/min Pump & GX200 Twin 150m SuperReel™

SKU: PUDT0300L0340TQ2

| Freight Rates Apply | Trans Tank® International | Product Catalogue 2023

SpotPro™

Motorised Spot Sprayer

TTi's SpotPro™ sprayers features a powerful 360psi pump coupled to a GX35 4-stroke motor, delivering great performance out of the 30m hose reel.







SpotPro™ Deluxe

Deluxe Motorised Spot Sprayer

The SpotPro™ Deluxe features a fully drainable tank for maximum use of spray mix, mounted to a forkable steel frame.

The powerful 360psi pump coupled to a GX35 4-stroke motor, delivering great performance out of the 30m hose reel. It's the preferred UTV Weed Sprayer, by many satisfied customers.





Reliable Genuine Honda GX35 Engine



12L/min 360psi Commando Pump



30m of 8mm Hose with Reel



Adjustable Turbo Spray Gun



Fully-Drainable Tank with Steel Frame



Steel Skid Frame









KEY FEATURES



22L/min Bertolini Italian Pump



Fully-drainable Sump Tank with 455mm Hinged Lid & Basket Filter



Genuine Reliable Honda GX200



Galvanized Steel Frame with Forklift Pockets



Heavy-duty 30m Hose Reel with Adjustable Pistol Grip Spray Gun



Pressure Regulator with Gauge for Controlled Spraying & Bypass Agitation System

A high performing UTE mounted field sprayer. Boasting a genuine GX200 Honda Motor, coupled to the reliable Bertolini pump, and 30m hose reel.

The forkliftable steel frame allows both easy loading and safe securing of your spray unit to your vehicle, allowing it to be put to work in minutes.

Trans Tank® International | Product Catalogue 2023 | Free Call 1800 816 277 | www.tti.com.au





300 Litres

1250 x 600 x 950mm SKU: PUF0300L0220H3



400 Litres

1489 x 970 x 1100mm SKU: PUFS0400L0220H3



500 Litres

1740 x 1250 x 760mm SKU: PUF0500L0220H3



600 Litres

1740 x **1250** x **920mm** SKU: PUF0600L0220H3



800 Litres

1900 x 1430 x 810mm SKU: PUF0800L0220H3



1000 Litres

1900 x 1430 x 1000mm SKU: PUF1000L0220H3



4m Boom

4m Galvanised Steel with Boom Bracket Arms

6m Boom

6m Galvanised Steel with Boom Bracket Arms

8m Boom

8m Galvanised Steel with Boom Bracket Arms



55

SuperReel Market Single

Field Sprayer with Single Auto-Rewind SuperReel™

The SuperReel™slip-on field sprayer is the professionals proven choice.

56

The heavy-duty electric rewind reel features a powerful 120w 12v motor and is capable of winding up to 150m of hose. The FrictionFree™ nylon hose, genuine Honda engine and Bertolini pump ensures this sprayer will perform in any conditions.





KEY FEATURES



34L/min 580psi Bertolini Italian pump with Genuine Honda GX200 engine



Fully-Drainable Poly Tank with Forkable Galvanised Steel Frame



Single 100m 12v Auto Rewind SuperReel™ with Wireless Remote Control



Anti-kink nylon hose with adjustable Turbo400 spray gun

Upgrade to 150m Length Reel

Trans Tank® International | Product Catalogue 2023 | Free Call 1800 816 277 | www.tti.com.au

SINGLE REEL



400 Litres

1800 x 970 x 1000mm SKU: PUFS0400L0340Q1



500 Litres

2030 x 1070 x 690mm SKU: PUF0500L0340Q1



600 Litres

1800 x 970 x 1160mm SKU: PUFS0600L0340Q1



600 Litres

2030 x 1070 x 850mm SKU: PUF0600L0340Q1



800 Litres

2180 x 1220 x 870mm SKU: PUF0800L0340Q1



1000 Litres

57

2180 x 1220 x 1140mm SKU: PUF1000L0340Q1

SuperReel™ TWIN

Field Sprayer with Twin Auto-Rewind SuperReel™



Increase Your Spraying Efficiency with the SuperReel™ twin reel slip-on field sprayer.

The professionals proven choice, the SuperReel Sprayer with twin heavy-duty electric rewind reels are capable of winding up to 150m of hose. The FrictionFree™ nylon hose, genuine Honda engine and Bertolini pump ensures this sprayer will perform in any conditions.





KEY FEATURES



54L/min 580psi Bertolini Italian pump with Genuine Honda GX200 engine



Fully-Drainable Poly Tank with Forkable Galvanised Steel Frame



Twin 100m 12v auto rewind SuperReel's with wireless remote control



Anti-kink nylon hose with adjustable Turbo400 spray guns

Upgrade to 150m Length Reels

Trans Tank® International | Product Catalogue 2023 | Free Call 1800 816 277 | www.tti.com.au

TWIN REEL



SUPERREEL™

400 Litres

1800 x 1280 x 990mm (LWH)SKU: PUFS0400L0540TQ1



500 Litres

2090 x 1300 x 832mm (LWH)SKU: PUF0500L0540TQ1



600 Litres

1800 x 1280 x 990mm (LWH)SKU: PUFS0600L0540TQ1



600 Litres

2180 x 1310 x 870mm (LWH)
SKU: PUF0600L0540TQ1



800 Litres

2180 x 1310 x 1140mm (LWH)
SKU: PUF0800L0540TQ1



1000 Litres

59

2180 x 1310 x 1140mm (LWH)
SKU: PUF1000L0540TQ1



TrailPro

ATV/UTV Spray Trailer

The hitch and go convenience of the TrailPro™trailed sprayers for ATV/UTV's, gives you the versatility of reel spraying and boom spraying from the one unit!

The 200L or 400L TrailPro™ trailer is fitted with the Honda GX200 motor, coupled to the renowned Bertolini Italian pump, so its genuine, powerful, and reliable pump and motor combination. The Standard trailer is fitted with a 8.3 L/min 100psi 12v pump which is mounted underneath a protected pump cover. Simply hitch up to your ATV or UTV and get your spraying jobs done with ease!

TrailPro

ATV/UTV 12v Spray Trailer

The hitch and go convenience of the TrailPro 12v ATV boom spray trailer is second to none. Quiet yet powerful, the 12v TrailPro is a true pleasure to use and operate.

Compact, tough, economical, the 12v TrailPro makes for safe spraying, and gives the operator the versatility of reel spraying and boom spraying from the one unit.

KEY FEATURES



8.3L/min 100psi Remco 12v Pump Under Protected Pump Cover



Sturdy Hot Dip Galvanised Steel Chassis with High Flotation Tyres



Fully-Drainable
Tank with 250mm
Screw Lid &
Basket Filter



1.2m Versatile Boom Fitted with 4m Swath





200 Litres

8.3 L/min 12v Pump; 6m Hose & Lance; 1.2m Versatile Boom

SKU: PRAV0200L0076-VB

200 Litres with Reel

8.3 L/min 12v Pump; 1.2m Versatile Boom; 30m Hose Reel

SKU: PRAV0200L0076H3-VB



| Freight Rates Apply Trans Tank® International | Product Catalogue 2023 61

TrailPro Deluxe

Deluxe ATV/UTV Spray Trailer





The professionals choice, the TrailPro™Deluxe provides unmatched performance.

The powerful GX200 Honda Engine, coupled with the Italian Bertolini 22L/min Pump, provides consistent true performance out of the spray gun or boom. The well balanced and robust design of the TrailPro handles rough terrain with ease.

KEY FEATURES



22L/min 290psi Bertolini Italian Pump with Genuine Honda GX200 Engine



Fully-Drainable Sump Tank with 250mm Screw Lid & Basket Filter



Sturdy Hot Dip Galvanised Steel Chassis with High Flotation Tyres



Heavy-Duty 30m Hose Reel with Adjustable Pistol Grip Spray Gun or 6m Hose

TRAILPRO™ DELUXE

Deluxe ATV/UTV Spray Trailer





Pictured with Booms



200 Litres

with 6m Hose & Gun SKU: PRAA0200L0220 with 30m Reel
SKU: PRAA0200L0220H3

22 L/min Pump; GX200 Honda Engine; Flotation Tyres;

400 Litres

with 6m Hose & Gun SKU: PRAAD0400L0220 with 30m Reel
SKU: PRAAD0400L0220H3

22 L/min Pump; GX200 Honda Engine; Flotation Tyres;

OPTIONS



4m Versatile Boom

1.2m Versatile Boom with 4m Swath



4m Compact Boom

4m Compact Spray Break-away Boom with Non-drip Nozzles



6m Compact Boom

6m Compact Spray Break-away
Boom with Non-drip Nozzles



Foam Marker Kit

Double Sided Foam Marker Kit with Solenoid Controls (for 6m Boom)



50m SuperReel™

SuperReel™ 50m Auto-Rewind 12v Reel (Upgrade from 30m Poly Reel)

63

*GST included | Freight Rates Apply Trans Tank® International | Product Catalogue 2023



TTi's GlidePath™Trailers are the perfect choice for farmers looking to keep weeds down and profits up.

Whether spraying weeds or fertilizer, the GlidePath™ spray trailer will get the job done on time, during the optimum small window of opportunity given.



Genuine Honda GX200 engine with 75L/min Bertolini Italian Pump



Fully-Drainable Poly Tank with 20-Year Warranty



Heavy-Duty Galvanised Steel Chassis with 65mm 2T-Rated Galvanised Axles



Heavy-Duty 30m Hose Reel with Adjustable Pistol Grip Spray Gun



Pressure Regulator with Gauge for Accurate & Controlled Spraying



50L Fresh Water Tank for Hand Washing **GLIDEPATH™**

Spray Trailers with Folding Boom





1000 Litres

1000L UnBraked with GX200 Honda Motor and 75L/min Pump & 3-Way Regulator

SKU: PRAX1000L0750Z

1000 Litres

1000L Braked / Registerable with GX200 Honda Motor and 75L/min Pump & 3-Way Regulator

SKU: PRAQ1000L0750Z



1200 Litres

1200L UnBraked with GX200 Honda Motor and 75L/min Pump & 3-Way Regulator

SKU: PRAX1200L0750Z

1200 Litres

1200L Braked / Registerable with GX200 Honda Motor 75L/min Pump & 3-Way Regulator

SKU: PRAQ1200L0750Z

UPGRADE OPTIONS













8m Boom

10m Boom

12m Boom

30m Poly Hose Reel

30m Reel

50m SuperReel™

50m SuperReel™ Auto-Rewind Reel Foam Marker

Double Sided Deluxe Foam Marker Kit Fitted

65

Heavy-Duty Steel Boom Heavy-Duty Self-Leveling Steel Boom

Heavy-Duty Self-Leveling Steel Boom

with Spray Gun

Trans Tank® International Product Catalogue 2023

SuperTrail™_

Spray Trailers with SuperReel™ Auto-Rewind Reel



TTi's SuperTrail™ Trailers are the perfect choice spray trailer for councils, Landcare & environmental organisations.

Custom built to suit your requirements, the SuperTrail spray trailer will get the job done on time, even in the toughest terrain.

Speak to us about your specific requirements



KEY FEATURES



Genuine Honda GX200 Engine with 54L/min 580psi Bertolini Italian Pump



Fully-Drainable Poly Tank with 20-Year Warranty



Heavy-Duty Galvanised Steel Chassis with 65mm 2T-Rated Galvanised Axles



Protected 3 Nozzle Boom & Twin 100m Auto Rewind SuperReels



SilageMaster™

Silage Applicator with Wireless Remote Control

Silage applicator kit with 100 & 200 litre spray tank, double nozzle silage boom, regulator kit & 12 volt 8.3 L/min 100psi pump & wireless remote on/off switch.





100 Litres

Silage Applicator with 2 Nozzle Boom 815 x 450 x 600mm (LWH)

SKU: PJA0100L

200 Litres

Silage Applicator with 2 Nozzle Boom 940 x 600 x 760mm (LWH)

SKU: PJA0200L



CUSTOM SPRAY EQUIPMENT

Call to Discuss Your Customised Spray Solutions!

Choose from a huge range of spray equipment

We build spray trailers for councils, large contractors, mines & much more!

Give our helpful customer service team a challenge to build the sprayer you need!

Call to Discuss Your Customised Spray Solutions!

1800 816 277



69

| Freight Rates Apply Trans Tank® International | Product Catalogue 2023

LinkOn™

3-Point Linkage Professional Sprayers



From small acreage farms to large scale operations, TTi's range of 3 point linkage boom sprayers are the perfect choice to get your boom spraying done on time using your tractor.



UV STABILISED, CHEMICAL RESISTANT TANK



HAND WASH TANK



KEY FEATURES



Heavy-Duty Hot Dip Galvanised Frame with Forklift Pockets



Fully-Drainable Tank with Basket Filter & 20-Year Warranty



Built-in 10L Freshwater Tank with Tap for Handwashing



22L/min or 75L/min Bertolini PTO Pump with PTO Shaft



Pressure Regulator with Gauge for Accurate & Controlled Spraying



Suction Filter (Fitted)





LINKON™

3-Point Linkage Professional Sprayers

Note: Pricing below does not include the boom or hose reel





300 Litres

300 Litre 3-Point Linkage Complete with 22 L/min Pump, 3-way Bertolini Regulator and Gauge and PTO Shaft

SKU: PLG0300L0220



400 Litres

400 Litre 3-Point Linkage Complete with 22 L/min Pump, 3-way Bertolini Regulator and Gauge and PTO Shaft

SKU: PLG0400L0220



600 Litres

600 Litre 3-Point Linkage Complete with 75 L/min Pump, 3-way Arag Regulator and Gauge and PTO Shaft

SKU: PLG0600L0750



800 Litres

800 Litre 3-Point Linkage Complete with 75 L/min Pump, 3-way Arag Regulator and Gauge and PTO shaft

SKU: PLG0800L0750





1,000 Litres

1000 Litre 3-Point Linkage Complete with 75 L/min Pump, 3-way Arag Regulator with Main Elec On/Off, Gauge and PTO Shaft

SKU: PLY1000L0750C0

SPEC UP YOUR LINKON™

SELECT YOUR BOOM







4m Boom

Compact™ Steel Boom

6m Boom

Compact™ Steel Boom

8m Boom

Compact™ Steel Boom
SKU: ABM080





8m Boom

Pinnacle™ Self-Leveling Steel Boom

SKU: ABM080PS

10m Boom

Pinnacle™ Self-Leveling Steel Boom

SKU: ABM100PS

12m Boom

Pinnacle™ Self-Leveling
Steel Boom
SKU: ABM120PS

OTHER OPTIONS



30m Reel

30m Poly Hose Reel with Spray Gun SKIJ: ATHW03X030M10G



Foam Marker

Double Sided Deluxe Foam Marker Kit Fitted

SKU: ATF0024DF



GPS System

TeeJet Matrix 430 Guidance System SKU: ATCG0430



Main Elec On/Off

Main On/Off valve with 1 way switch box (for 600L, 800L, & 1000L)

73

*GST included | Freight Rates Apply Trans Tank® International | Product Catalogue 2023



SPRAY

Accessories

Pumps

Booms

Guns

Nozzles

Reels

Foam Marker Complete Kit - Double Sided

- Double sided deluxe model with solenoid controls
- In-cab controller for left/right selection
- 24 Litre high strength poly tank with safety valve
- Maximum foam production 330 L/hr
- Working pressure 0.75 bar at 12 volt DC
- ♦ Water/Foam agent solution consumption 10.6 L/hr
- Foam spreader made of flexible EPDM rubber to withstand accidental impacts & more...

SKU: ATF0024D



GPS Guidance System - Matrix 430

TeeJet Matrix 430

- ♦ GPS/GLONASS engine with ClearPath technology
- ♦ Easy to install and easy to operate
- Compact install in front of the steering wheel for easy viewing during field operation
- Calculates field area, counts applied acres and produces Google Earth™ coverage maps
- Provides warning sound when entering into previously applied areas
- Cross-track error with user selectable displays for worked area, worked time & more...



SKII: ATCG0430

GPS Guidance - Matrix 570G

TeeJet Matrix 570G

- The Matrix Pro GS system can be used with up to eight RealView cameras
- The Matrix Pro 570GS console features a 14.5 cm (5.7") touch screen
- A+ Azimuth (degree heading) allows identical, parallel, guidelines when operating multiple vehicles in the same field
- Field Finder organizes saved jobs according to your current GPS location
- Easy-to-use PC utility simplifies creating and maintaining client/farm/field/job data & more...

SKU: ATCG0570



Trans Tank® International | Product Catalogue 2023

Remco 12v Pumps Tested | Trusted | Certified

High flow rate with less amp draw

Longer duty cycle

2000 Hour life expectancy

12-Month Warranty



VARIANTS



3.8 L/min 40psi SKU: I-11805

PSI LMP AMPS

OPEN 3.79 1.75

20 2.84 2.25

40 2.27 3.00



4.5 L/min 60psi

SKU: I-11353

PSI LMP AMPS

OPEN 4.55 3.50

20 3.98 4.50

40 3.60 5.25

60 3.03 5.50



8.3 L/min 100psi

SKU: I-11355 PSI LMP AMPS OPEN 8.33 2.65 4.40 20 7.38 5.80 40 6.06 5.49 6.70 80 5.11 7.10 100 3.79 8.00





11.4 L/min 60psi

	SKU: I-11347	
PSI	LMP	AMPS
OPEN	11.75	4.00
20	8.72	6.00
40	7.20	8.00
60	5.50	9.50



15.1 L/min 100psi

	SKU: I-12572	
PSI	LMP	AMPS
OPEN	17.24	4.00
20	14.21	6.00
40	11.56	8.00
60	9.29	9.50
80	8.34	10.50
100	7.20	11.75



20 L/min 60psi

	SKU: I-11354	
PSI	LMP	AMPS
OPEN	20.09	8.00
20	18	11.00
40	14.59	15.00
60	11.37	18.00



26 L/min 100psi

SKU	l: I-11796	
PSI	LMP	AMPS
OPEN	26	11.00
20	24	12.00
40	20	15.00
60	16	19.00
80	13	23.00
100	9	25.00

75

*GST included | Freight Rates Apply Trans Tank® International | Product Catalogue 2023

12V PUMP PARTS & ACCESSORIES

REMCO PUMP SPARES

SKU	DESCRIPTION
3300-PSW	Pressure switch, Remco 3300 Series 60PSI
3300-PSW-100	Pressure switch, Remco 3300 Series, 100PSI
VHA7863-7F77	Valve Housing, Remco 3300 Series
PSW-580R-60	Pressure Switch, Remco 5500 Series, 60psi
VHA5513-1X77	Valve Housing, Remco 5500 Series
YHAJJIJ-IA//	valve floading, floritoe code control



Quick Attach Filters

- ♦ Available in 2 sizes to suit Delavan and Remco pumps
- Stainless steel mesh filter
- ♦ Simple push in & lock fitting no tools required

SKU	DESCRIPTION
ATPFS050Q10	Quick attach filter for 7800 pumps
ATPFS050Q12	Quick attach filter for 5900 pumps (suits Remco Pumps)

DELAVAN PUMP SPARES

SKU	DESCRIPTION
CDPLHA78607E77	Lower housing assy - for 7801 pumps; Diaphragm
CDPLHA78637F77	Lower housing assy - for 7800 pumps; Diaphragm
-CDP53LHA002	Lower housing assy - for 7800 pumps; Geolast Diaphragm
-CDPVHA78637F77	Valve housing assy for 7800 pumps
CDPUHA78637F77	Upper housing assy for 7800 pumps
CDPUHA78637F77T	Upper housing assy for 7812 pumps
CDP2200PSW	Pressure switch for 2200 pumps
CDP7800PSW60	Pressure switch to suit 7800 series pumps - 60psi
CDP7800PSW100	Pressure switch to suit 7800 series pumps - 100psi



Quick Attach Regulator & Gauge

- ♦ Fitted standard to our professional spot sprayers
- ♦ Simple push in & lock fitting no tools required
- Set & forget pressure control
- ♦ Excess fluid returns to tank & provides agitation

SKU	DESCRIPTION
ATRM020LQ10G	Quick attach regulator & gauge for 7800 pumps
	Quick attach regulator & gauge
ATRM020LQ12G	for 5900 pumps (suits Remco Pumps)















	100		()			100
•	SKU		DESCRIPT	TION		
	CDP3DFE38X2		Quick Attach	n 10mm Elbow x	2 for 7800	
•	CDP3DFA38X2		Quick Attach	10mm Straight x	c 2 for 7800	
	CDP5DFA38X2		Quick Attach	10mm Straight	x 2 for 5900	
	CDP5DFE38X2		Quick Attach	10mm Elbow x 2	2 for 5900	
	CDP3DFE12X2		Quick Attach	12mm Elbow x 2	2 for 7800	
	CDP3DFA12X2		Quick Attach	12mm Straight x	c 2 for 7800	
•	CDP5DFA12X2		Quick Attach	12mm Straight x	c 2 for 5900	
	CDP5DFE12X2		Quick Attach	12mm Elbow x 2	2 for 5900	



Wire Harness Kit

- ♦ 3.6 metre wire harness kit with on/off switch
- Power control switch & fuse protection included
- ♦ Easy quick connect 2-pin plugs
- ♦ Kit includes both lighter adapter and alligator clips
- Max 10 Amp draw

1400 1	
ATCWL03612VSAC Wire harness kit complete - 10 Amp	

Trans Tank® International | Product Catalogue 2023



SKU

CBK949879973

CBK949888973

CBK949871973

CBK039830973

CBK039850973

CBK039875973

CBK039851973

CBK039873973

SKU

CBK639880973

CBK639870973

CBK639871973

CBK639873973

CBK239880973

CBK239829973

CBK239828973

BERTOLINI

SPARE PARTS KITS

DESCRIPTION

O-ring kit for Poly 2020

Pump Seals Kit - PA330

SS valves kit for Poly 2020

Diaphragm Kit - 20VF/RT4Poly2020

Valve Kit for PA330 (up to Nov 2004)

Valve Kit for PA330.1 (from Dec 2004)

Diaphragm Kit - PA330 (Desmopan)

BERTOLINI

PUMP SPARE PARTS

Pump Seals Kit - Poly 73/2073

Diaphragm Kit - PA530 (Buna)

Buna Diaphragm Kit for PA530

Diaphragm Kit - Poly 73/2073 (Buna)

Diaphragm Kit - Poly 73/2073 (Desmopan)

Valve Kit - Poly 73/2073

DESCRIPTION

Valve Kit - PA530

Diaphragm Kit - PA330 (Buna)

HONDA - THE MOST RELIABLE ENGINE -

Honda applied it's superior engine technology to create the world's first 360° inclinable 4-Stroke engines. The ultralightweight GX35 Mini 4-Stroke efficiently delivers the kind of efficient cleaner, powerful, quiet performance that you'd expect from a larger engine – but in a very compact package.



Need it coupled to a Honda GX200? just add



GX35 "Commando"

12L/min Pump; 30m Reel and Gun SKU: APP0120GH030G



(Buna)

22L/min Pump

2 Diaphragms; 1 3/8" Shaft; 290psi/20bar Max Pressure: Weight: 6.6kg

Bare Pump & Shaft Pump & Gear Box SKU: APL0220S SKU: APL0220KG



3 Diaphragms; 1 3/8" Shaft; 580psi/40bar Max Pressure



Bare Pump & Shaft SKU: API 0540S

Pump & Gear Box SKU: API 0540KG



5 Diaphragms; 1 3/8" Shaft; 218psi/15bar Max Pressure; Weight: 12kg



Bare Pump & Shaft SKU: APL1260S



34L/min Pump

3 Diaphragms; 1 3/8" Shaft; 580psi/40bar Max Pressure: Weight: 8.3kg

Bare Pump & Shaft Pump & Gear Box SKU: APL0340S SKU: APL0340KG

75L/min Pump

3 Diaphragms; 1 3/8" Shaft; 218psi/15bar Max Pressure: Weight: 11kg



Bare Pump & Shaft SKU: APL0750S

Pump & Gear Box SKU: API 0750KG

210L/min Pump

3 Diaphragms; 1 3/8" Shaft; 218psi/15bar Max Pressure; Weight: 26kg



Bare Pump & Shaft SKU: APL2100S

*GST included | Freight Rates Apply Trans Tank® International | Product Catalogue 2023 77

Bertolini Regulators

- ♦ 901 /min flow rate
- Choose from 15 bar (218psi) and 40 bar (580psi) pressure ratings
- 3 Outlets with 10mm hose tails and ball valves.
- Complete with pressure gauge and mounting bracket
- Accurate and progressive pressure selection
- Reliable pressure control
- 3-way fluid control



218psi

Sting 3-Way Regulator 90L/min. 15 bar

SKU: ATRB15B09013M3K



iza085

Sting 3-Way Regulator 90L/min. 40 bar SKU: ATRB40B09013M3K

Pressure Gauge

\$103*

0-24 bar (340 psi) SKU: CBP830010002



Arag Regulators

- Polypropylene high capacity modular system with viton seals
- Main control lever shuts off flow completely good for boom sprays
- Manual section valves can be replaced by CA463011S electric valves to give in cab control of boom sections.
- When ordering electric controllers select switch box to suit application



Arag Regulator 3 Manual Section Valves; Manual On/Off SKU: ATRA20B14013M3



Araq Regulator & Gauge 3 Manual Section Valves: Elec On/Off

SKII: ATRA20B14023M3



Arag Regulator & Gauge 2 section: 2 Electric: 1 Manual Section Valves: Electric On/Off SKU: ATRA20B14023F2M1

Switches & Cables

The Arag compact control box is an electric device that connected to a suitable control unit allows managing all spraying stages directly inside the agricultural vehicle cabin it is installed in.

- Models with 1, 2 and 4 output sections
- Available main valve control and pressure settings adjustment



1-Way On/Off Switch Box SKU: ATCC1W



2-Way On/Off Switch Box SKU: ATCC2W



3-Way & Main On/Off Switch Box with Pressure Control SKU: ATCC3WV



5-Way & Main On/Off Switch **Box with Pressure Control** SKU: ATCC5WVP

Filters

- keep vour sprav clear & clean!
- reduce nozzle blockage & protect your pump
- Quick attach suction filter designed to fit directly onto the female port of Delavan pumps, 80 mesh screen filter



Suction Filter

For 7800 Series Pumps SKU: ATPF\$050010

For 5900 Series Pumps SKU: ATPFS050012

1/2" Suction Filter (Threaded)

To Suit Shurflo Pumps
SKU: ATPFS080T12



1¼" Suction Filter

25mm Hosetails
SKU: ATPFSV032T32T



1½" Suction Filter

32mm Hosetails
SKU: ATPFSV032T38T

Boom Spray Control

Make Your Spraying Jobs Easier & Professional

- Heavy duty brass ½" BSP, 12VDC solenoid valves
- Suitable for most chemicals
- Viton diapahragm

Choose From 1-way or 3-way Solenoid Kits



1-Way Solenoid Valve Kit

10 bar (140psi) 3.6m Electrical Leads ½" BSP Port Solenoid

SKU: ATVS10B036



3-Way Solenoid Valve Kit

10 bar (140psi) with 3 way switch box and cables ½" BSP port solenoid

SKU: ATVS10BX3W

*GST included | Freight Rates Apply Trans Tank® International | Product Catalogue 2023

Spray Hose



Highly Flexible Spray Hose

Great Value Kink Resistant Hose

- High quality TTi agricultural spray hose
- High flexibility, kink resistant
- Working pressure 40 bar (580 psi)
- Burst Pressure 150 bar (2200 psi)

- Suction hose available also call for details
- Black ribbed outer cover with a specially formulated yellow chemical resistant tube
- 10mm & 12mm hose available in 100m rolls
 Call for your price

PRESSURE SPRAY HOSE

SKU	DESCRIPTION
CUY58010MM	10mm Spray Hose (working pressure 40 bar; 580psi) / metre
CUY58010MMX10	10mm Spray Hose (working pressure 40 bar; 580psi) / 10 metre
CUY58012MM	12mm Spray Hose (working pressure 40 bar; 580psi) / metre
CUY58012MMX10	12mm Spray Hose (working pressure 40 bar; 580psi) / 10 metre
CUY58019MM	19mm Spray Hose (working pressure 40 bar; 580psi) / metre
_CUY58025MM	25mm Spray Hose (working pressure 40 bar; 580psi) / metre

SUCTION HOSE

N Company of the Comp	
SKU	DESCRIPTION
CUUC19MM	19mm Clear Suction Hose (not for pressure lines) / metre
STAHSB25BLK	25mm Suction Hose (not for pressure lines) / metre
STAHSB32	32mm Suction Hose (not for pressure lines) / metre
STAHSB38	38mm Suction Hose (not for pressure lines) / metre



POLY REELS

Keep your hose Neat, Tidy & Protected with a TTi Reel!

- New stronger frame design
- Reel constructed from rust-free UV stabilised poly
- ♦ NEW ReelPro Engineered Steel Design
- Hose ReelOptimised full flow ball bearing swivel – easier rewinding under pressure
- New positive reel locking device works in four positions to prevent hose unwinding in transit



30m Reel and Hose

Base Mount - 10mm Hose & Free Spray Gun

SKU: ATHW03B030M10G



30m Reel and Hose

Side Mount - 30m Hose Reel with 10mm Hose & Free Spray Gun

SKU: ATHW03X030M10G



50m Reel and Hose

Base Mount - 10mm Hose & Free Spray Gun

SKU: ATHW05B050M10G



100m Hose and Reel

Base Mount - for 10mm Hose and Spray Gun

SKU: ATHW10B100M10G

Trans Tank® International | Product Catalogue 2023 *GST included | Free Call 1800 816 277 | www.tti.com.au

SuperReel

Remote Controlled Rewind Hose Reel

Designed to perform in the toughest terrain, the remote controlled SuperReel™ spray reels are guaranteed to make the job quick, easy and safe for any operator.

- Powerful belt-driven 12v motor. Geared reduction for maximum torque and power efficiency
- 100m or 150m 10mm ID anti-kink nylon hose
- Hose roller guide allows for one-person operation, from any angle
- Manual override button for powered retraction, without the remote control
- Easy bolt-down points with tough powder-coated finish
- Wireless remote transmits up to 200m in uneven terrain!
- Interchangeable left/right spray gun holder
- Turbo 400 spray gun (optional accessory)





50m

Auto-Rewind Reel 600 x 355 x 450mm (LWH)

SKU: ATHRO50M10-R



100m

Auto-Rewind Reel 810 x 355 x 675mm (LWH)

SKU: ATHR100M10



150m

Auto-Rewind Reel 810 x 355 x 675mm (LWH)

SKU: ATHR150M10

Upgrade to 150m Length Reel

*GST included | Freight Rates Apply Trans Tank® International | Product Catalogue 2023 81

HOME GARDEN SPRAY LANCES

Add any of these to your versatile or telescopic lances

Versatile Lance

- Virtually unbreakable shaft
- Adjustable sprav nozzle
- Overall length: 760mm
- Maximum pressure: 10 bar
- Choose from a large range of compatible accessories
- ♦ 10mm hosetail



Economy Lance

- ♦ Lightweight chromed aluminium
- Adjustable sprav nozzle
- ♦ Filter in handle
- ♦ 10mm hose barb connection
- ♦ 850mm overall length



Economy Lance

with 10mm Hose Barb Length: 850mm SKU: AHL009

Length: 760mm

Nozzle Replacement

SKU: CPLP009N

Telescopic Lance

- Lightweight lance with long reach for trees and bushes
- Very easily adjusted
- Maximum pressure: 10 bar (145 psi)
- Overall length: from 710 to 1150mm
- ♦ Compatible with Inter accessories as shown
- 10mm hosetail

Telescopic Lance With 10mm Hose Tail Laurth 760 and SKU: CGP726

Spray Booms

- Three boom types to choose from to speed up your ground coverage.
- Lightweight for ease of use.


Telescopic Lance Nozzle Boom SKU: ATA00RF SKU: ATA00RF Quadruple Nozzle Boom with Cone/Fan Spray Nozzles 1.5m SKU: ATA00EF (FAN)


Spray Hoods

 Hit your target every time without collateral damage, with the Inter Elite Spray Hoods.









SKU: ATAOOC

SKU: ATAOOB

Herbicide Nozzles

Consistent application rates for band spraying





Elbow

SKU: ATAOOG

With low volume with fan nozzle

SKU: ATAOOF

Spray Hoods

Tubes can be manually moulded for specialised spraying requirements.

Two models available, one with adjustable cone nozzles and one with fan nozzles.

Used for basal bark spraying and ant block treatments.



Flexible Double Nozzle

Adjustable Cone/Fan Spray Nozzles

SKU: ATAOOHC (CONE) / ATAOOHF (FAN)

SPRAY GUNS

Heavy Duty Pistol Grip

- All metal construction stainless steel, aluminium & hrass
- High pressure, long range spray gun
- Teflon seal
- Overall Length: 180mm

Pistol Grip Spray Gun

SKU: AHG104ST

- Easily adjustable spray pattern
- Max. pressure: 55 bar (800psi)
- Max. flow: 15 L/min (580psi) with 3mm nozzle

Spot 300 Lance

- Heavy Duty Spot Spray Gun

- ♦ Overall length: 300mm



KITS

REPAIR KIT - CPLK104R NUT & WASHER

FOR NOZZLE - CPLP104N 1.5MM NOZZLE - CPLP104N15

2.0 MM NOZZLE - CPLP104N20 2.5 MM NOZZLE - CPLP104N25 3.0 MM NOZZLE - CPLP104N30

3.5MM NOZZLE - CPLP104N30 3.5MM NOZZLE - CPLP104N35 4.0MM NOZZLE - CPLP104N40

Spot 300 Lance

SKU: AHG105ST

REPAIR KIT - CPLK105R NUT & WASHER

KITS

5MM NOZZLE - CPLP105N15

2.3MM NOZZLE - CPLP105N23

Top Gun

- High pressure, long range, multipurpose spray gun
- Front handgrip allows quick spray pattern selection
- Fitted with trigger lock and ½" swivel inlet

Top Gun

SKU: AHG107ST

- Overall length: 700mm
- Max range: 25m @ 50bar
- Max pressure: 60 bar (870psi)
- Max flow rate: 135 L/min



KITS

REPAIR KIT - CPLK107R

2.3MM NOZZLE - CPLP107N23

KEEP YOUR PLANTS SAFE!


Add a Spray Hood for Target Spraying

Rectangular Spray Shield Kit

SKU: ATPS001



Rectangular Spray Shield Kit to suit Powerjet Spray Gun



*GST included | Freight Rates Apply Trans Tank® International | Product Catalogue 2023

SPRAY GUNS

PowerJet Spray Guns

Simple & effective operating system using stainless steel ball & seat & brass housing

- ♦ Durable, dependable spray gun for all spraying applications
- Adjustable spray nozzle
- Maximum pressure: 20Bar 300psi
- Fitted with hose swivel



Regular Lance


Overall length: 475mm SKU: AHG109ST



RapidJet Spray Gun

SKU: AHG112T

Repair Kit PowerJet



Long Lance

Overall length: 840mm with 10mm Hose Tail

SKU: AHG111ST





SKU: CPLK108R

RapidJet Spray Gun



- ♦ Easily adjustable brass nozzle for a variety of spray patterns
- Maximum pressure: 17 bar (250 psi)
- Max. flow rate: 26 L/min
- Overall length: 740mm
- 10mm hose barb

Turbo Spray Gun



- Great value multipurpose spray gun
- One hand operation for easy pattern adjustment + on/off trigger
- Adjustable turbo atomiser
- Supplied with 10mm hose tail
- Max pressure 360psi
- Overall length 445mm

KITS

REPAIR KIT SKU: CPLK102R 2.3 MM CERAMIC NOZZLE SKU: CPLP102N23 3.5 MM CERAMIC NOZZLE SKU: CPLP102N35



Turbo Spray Gun

SKU: AHG101T

SPRAY GUNS



Turbo 400 Spray Gun

- Professional multipurpose spray gun with Viton seals
- One hand operation for easy pattern adjustment and on/off trigger
- ♦ Adjustable turbo atomiser
- ♦ Comes with swivel & 10mm hose tail
- ♦ Overall length: 400mm

Turbo 400 Spray Gun

SKU: AHG102ST

KITS

REPAIR KIT SKU: CPLK102R

2.3 MM CERAMIC NOZZLE SKU: CPLP102N23 3.5 MM CERAMIC NOZZLE SKU: CPLP102N35



Multi-Purpose Spray Gun

- Professional multipurpose high pressure spray gun with Viton seals
- Adjustable turbo atomiser for full range of spray requirements from straight stream to soft atomised cone spray position
- Metal handle & trigger guard favoured by many operators
- ♦ Swivel & 10mm hose tail supplied
- ♦ Max pressure: 50 bar (725psi)
- Overall length: 400mm

Multi-Purpose Spray Gun

SKU: AHG103ST

KITS

REPAIR KIT SKU: CPLK102R



*GST included | Freight Rates Apply

SPRAY BOOMS For Firebreaks, Rough Country Spraying & Locust Control

Brass Boomless Nozzle Kits

Ideal for Blanket Spraying

FEATURES

- 4 sizes to choose from
- Use with ATV, 3PL or ute sprayers
- ♦ Can be used as 180° swath or 90° swath by swapping nozzle plates
- ♦ Ideal for rough country spraying & locust control
- ♦ Optimum mounting height between 0.5m & 1.0m above ground



Max Spray Width

7m (37L/hec)

7m Spray Width Minimum Pump Capacity 7L/min SKU: ABK02

16m (147L/hec)

16m Spray Width Minimum pump capacity 20 L/min SKU: ABK10

17m (190L/hec)

Minimum pump capacity 30 L/min

15m (74L/hec)

15m Spray Width Minimum pump capacity 11L/min SKU: ABK05



17m Spray Width

Mounting Bracket

Goose Neck (Only) Fits any 50mm Haymen Reese Tow Hitch; Compatible with Boomless Nozzle

Boom,let™ Nozzle

Boomless Brass Nozzle



BoomJet

Boomless Brass Nozzle: 0.91kg

SKU: SEE TABLE



Boom)	et Nozzles	W= Maximum eff
· ·		with nozzle mounte

	<u> </u>	(2)	a n	(S) bar	l/min	"W" (meters)
5880-3/4- 2TOC06	6733- OC06	H1/4VV-1506	H1/4VVL-9502 with 50 mesh strainer	1.5 2.0 2.5	7.26 8.38 9.37	10.2 10.3 10.5
5880-3/4- 2TOC10	OCIO	H1/4U-0508HE	H1/4VVL-11004 with 50 mesh strainer	1.5 2.0 2.5	11.16 12.89 14.41	12.0 12.1 12.3
5880-3/4- 2TOC20	OC20	H1/4U-0520HE	H1/4VVL-9506 with 50 mesh strainer	1.5 2.0 2.5	24.00 27.72 30.99	14.3 15.2 15.8
5880-3/4- 2TOC40	OC40	H1/4U-0540HE	H1/4U-9510	1.5 2.0 2.5	47.44 54.78 61.25	17.1 18.2 19.2

Notes: Always double check your application rates. Tabulations are based on spraying water at 70°F (21°C).

BoomTech™ Nozzle

Tail Gate Mounted Nozzle Kit

BoomTech

BoomTech Nozzle Kit

SKU: ABT001



- ♦ Universal Stainless Steel Tailgate Mounting Bracket
- ♦ Ideal for fence lines, orchard, blanket and end row spraying
- ♦ Excellent Drift Control
- Min Pump Capacity Required: 11.4L/min
- ♦ Recommended spray pressure range: 20-60 PSI (1.5-4 bar)




SPRAY BOOMS For Firebreaks, Rough Country Spraying & Locust Control

Versatile Boom

- ♦ 1.2 metre compact boom
- ♦ Sprays 4 metre swath width
- ♦ Compatible with any spot sprayer with pump 6.5 L/min or more
- ◆ Taps for 7-way nozzle control
- Versatility of spraying options



Sprays up to 4 metres SKU: ABVL040



Haymen Reese Goose neck attachment with Versatile Boom

SKU: ABVL040-GN

2 Metre Boom 2m Spray width SKU: ABS020 4 Metre Boom 4m Spray width SKU: ABS040

Versatile Boom Spray Selections















*GST included | Free Call 1800 816 277 | www.tti.com.au

Compact™ Spray Boom

Compact Galvanised Spray Boom



New & Improved

Design






Non-drip nozzle bodies with Teejet AIXR Air Induction spray tips

Easy to mount onto your existing sprayer!



TeeJet Air Induction Nozzles



SKU: ABM040



SKU: ABM040-GN

6m Boom

Galvanised Boom with Nozzle Protection
SKU: ABM060



8m Boom

Galvanised Boom with Nozzle Protection

SKU: ABM080

Trans Tank® International | Product Catalogue 2023 *GST included | Free Call 1800 816 277 | www.tti.com.au

Pinnacle[™] 'Plus'


Galvanised Spray Boom with Self Level





Scan to see this boom installed in 3PL sprayer in action!











Easy to mount onto your existing sprayer!



Hot dipped galvanised steel framework



Optional upgrade to Tri-nozzle bodies





8m Boom

Galvanised Boom with Self-levelling Kit

SKU: ABM080PS



10m Boom

Galvanised Boom with Self-levelling Kit

SKU: ABM100PS

12m Boom

Galvanised Boom with Self-levelling Kit

SKU: ABM120PS

*GST included | Freight Rates Apply Trans Tank® International | Product Catalogue 2023 89

XR

Air Induction






Flat Spray Tips

110° wide, tapered **flat spray angle** with air induction technology offers better drift management

Made of a two piece UHMWPE polymer construction with VisiFlo® colour-coding. UHMPE provides excellent chemical resistance, including acids, exceptional wear life

Depending on the chemical, produces large airfilled drops through a **Venturi air aspirator**

Available in **seven tip capacities** with a wide operating pressure range: **15–90 PSI** (1–6 bar)



SKU	DESCRIPTION	COLOUR
CNSAIXR110015X10		
CNSAIXR110020X10		
CNSAIXR110025X10	Air induction XR	
CNSAIXR110030X10	Flat Spray Tips	
CNSAIXR110040X10	(PACK of 10)	
CNSAIXR110050X10		
CNSAIXR110060X10		000

(画)	0	DROP	CAPACITY													
bar SIZE		NOZZLE IN I/min	4 km/h	5 km/h	6 km/h	7 km/h	8 km/h	10 km/h	12 km/h	16 km/h	18 km/h	20 km/h	25 km/h	30 km/h	35 km/h	
	1.0	XC	0.34	102	81.6	68.0	58.3	51.0	40.8	34.0	25.5	22.7	20.4	16.3	13.6	11.7
	2.0		0.48	144	115	96.0	82.3	72.0	57.6	48.0	36.0	32.0	28.8	23.0	19.2	16.5
AIXR110015	3.0		0.59	177	142	118	101	88.5	70.8	59.0	44.3	39.3	35.4	28.3	23.6	20.2
(100)	4.0	С	0.68	204	163	136	117	102	81.6	68.0	51.0	45.3	40.8	32.6	27.2	23.3
	5.0	M	0.76	228	182	152	130	114	91.2	76.0	57.0	50.7	45.6	36.5	30.4	26.1
	6.0	M	0.83	249	199	166	142	125	99.6	83.0	62.3	55.3	49.8	39.8	33.2	28.5
	1.0	XC VC	0.46	138 195	110 156	92.0	78.9 111	69.0 97.5	55.2 78.0	46.0 65.0	34.5 48.8	30.7 43.3	27.6 39.0	22.1	18.4	15.8
AIXR11002	3.0	C	0.03	237	190	158	135	119	94.8	79.0	59.3	52.7	47.4	37.9	31.6	27.1
(50)	4.0	c	0.79	273	218	182	156	137	109	91.0	68.3	60.7	54.6	43.7	36.4	31.2
(50)	5.0	č	1.02	306	245	204	175	153	122	102	76.5	68.0	61.2	49.0	40.8	35.0
	6.0	M	1.12	336	269	224	192	168	134	112	84.0	74.7	67.2	53.8	44.8	38.4
	1.0	XC	0.57	171	137	114	97.7	85.5	68.4	57.0	42.8	38.0	34.2	27.4	22.8	19.5
	2.0	XC	0.81	243	194	162	139	122	97.2	81.0	60.8	54.0	48.6	38.9	32.4	27.8
AIXR110025	3.0	VC	0.99	297	238	198	170	149	119	99.0	74.3	66.0	59.4	47.5	39.6	33.9
(50)	4.0		1.14	342	274	228	195	171	137	114	85.5	76.0	68.4	54.7	45.6	39.1
	5.0		1.28	384	307	256	219	192	154	128	96.0	85.3	76.8	61.4	51.2	43.9
	6.0	C	1.40	420	336	280	240	210	168	140	105	93.3	84.0	67.2	56.0	48.0
	1.0	XC	0.68	204	163	136	117	102	81.6	68.0	51.0	45.3	40.8	32.6	27.2	23.3
	2.0	XC	0.96	288	230	192	165	144	115	96.0	72.0	64.0	57.6	46.1	38.4	32.9
AIXR11003	3.0		1.18	354	283	236	202	177	142	118	88.5	78.7	70.8	56.6	47.2	40.5
(50)	4.0		1.36	408	326	272	233	204	163	136	102	90.7	81.6	65.3	54.4	46.6
	5.0		1.52	456	365	304	261	228	182	152	114	101	91.2	73.0	60.8	52.1
	6.0	С	1.67	501	401	334	286	251	200	167	125	111	100	80.2	66.8	57.3
	1.0	XC	0.91	273	218	182	156	137	109	91.0	68.3	60.7	54.6	43.7	36.4	31.2
AUVENAGE	2.0	XC	1.29	387	310	258	221	194	155	129	96.8	86.0	77.4	61.9	51.6	44.2
AIXR11004	3.0	VC	1.58	474	379	316	271	237	190	158	119	105	94.8	75.8	63.2	54.2
(50)	4.0	VC	1.82	546	437	364	312	273	218	182	137	121	109	87.4	72.8	62.4
	5.0	C	2.04	612 669	490 535	408 446	350 382	306 335	245 268	204	153 167	136 149	122 134	97.9	81.6 89.2	69.9 76.5
	1.0	XC	1.14	342	274	228	195	171	137	114	85.5	76.0	68.4	54.7	45.6	39.1
	2.0	XC	1.61	483	386	322	276	242	193	161	121	107	96.6	77.3	64.4	55.2
AIXR11005	3.0	XC	1.97	591	473	394	338	296	236	197	148	131	118	94.6	78.8	67.5
(50)	4.0	VC	2.27	681	545	454	389	341	272	227	170	151	136	109	90.8	77.8
(50)	5.0	c	2.54	762	610	508	435	381	305	254	191	169	152	122	102	87.1
	6.0		2.79	837	670	558	478	419	335	279	209	186	167	134	112	95.7
	1.0	XC	1.37	411	329	274	235	206	164	137	103	91.3	82.2	65.8	54.8	47.0
	2.0	XC	1.94	582	466	388	333	291	233	194	146	129	116	93.1	77.6	66.5
AIXR11006	3.0	XC	2.37	711	569	474	406	356	284	237	178	158	142	114	94.8	81.3
(50)	4.0	VC	2.74	822	658	548	470	411	329	274	206	183	164	132	110	93.9
8 8	5.0	C	3.06	918	734	612	525	459	367	306	230	204	184	147	122	105
	6.0		3.35	1005	804	670	574	503	402	335	251	223	201	161	134	115

Tabulations are based on spraying water at 70°F (21°C).

VISIFLO

Air Induction



Angle Flat Spray Tips

Tapered edge wide angle flat spray pattern for uniform coverage in broadcast spraying Large, rounded internal passage to minimize clogging

Excellent resistance to corrosive solutions

Superior wear characteristics

Larger droplets for less drift; 15-90 PSI (1-6 bar)

Applications

Herbicides, fungicides and insecticides

SKU	DESCRIPTION	COLOUR
CNSTT110010X10		
CNSTT110015X10	Tooks Tax lot to all	
CNSTT110020X10	Turbo TeeJet Angle Flat Spray	
CNSTT110025X10	Tips	
CNSTT110030X10	(PACK of 10)	1
CNSTT110040X10		
CNSTT110050X10		1 13
CNSTT110060X10		
CNSTT110080X10		A STATE OF THE STA

TT11001 3.0 F 0.39 (100) 4.0 F 0.45 5.0 F 0.50 6.0 F 0.55 1.0 C 0.34 2.0 M 0.48 TT110015 3.0 M 0.59 (100) 4.0 M 0.68 5.0 F 0.50 1.0 C 0.66 6.0 F 0.83 1.0 C 0.66 TT11002 3.0 M 0.79 (50) 4.0 M 0.91 5.0 M 0.91 5.0 M 0.99 (50) 4.0 M 1.14 5.0 M 1.28 6.0 M 1.40 1.0 VC 0.57 2.0 C 0.65 TT110025 3.0 M 0.99 (50) 4.0 M 1.14 5.0 M 1.28 6.0 M 1.40 1.0 VC 0.68 2.0 C 0.96 TT11003 3.0 C 1.18 (50) 4.0 M 1.36 5.0 M 1.52 6.0 M 1.52 6.0 M 1.52 6.0 M 1.52 6.0 M 2.24 TT11004 3.0 C 1.58 (50) 4.0 C 1.82 2.0 VC 1.94 TT11005 3.0 C 1.97 TT11006 3.0 C 2.27 5.0 M 2.04 6.0 M 2.23 TT11006 3.0 C 2.27 5.0 C 2.54 6.0 M 2.79 TT11008 3.0 C 3.166		(S) bar	DROP SIZE	CAPACIT ONE NOZZLI IN I/mir
TT11001 3.0 F 0.39 (100) 4.0 F 0.45 5.0 F 0.50 6.0 F 0.55 1.0 C 0.34 2.0 M 0.48 2.0 M 0.48 5.0 F 0.76 6.0 F 0.83 1.0 C 0.46 5.0 F 0.76 6.0 F 0.83 1.0 C 0.46 5.0 F 0.76 6.0 F 0.83 1.0 C 0.46 5.0 F 0.76 6.0 F 0.83 1.0 C 0.46 1.0 VC 0.57 2.0 C 0.81 1.11 1.0 VC 0.57 2.0 C 0.81 1.11 1.0 VC 0.68 1		1.0	C	0.23
(100) 4.0 F 0.45 5.0 F 0.50 6.0 F 0.55 1.0 C 0.34 2.0 M 0.48 17110015 3.0 M 0.59 (100) 4.0 M 0.68 5.0 F 0.76 6.0 F 0.83 1.0 C 0.46 2.0 C 0.65 1711002 3.0 M 0.79 (50) 4.0 M 0.91 1.0 VC 0.57 2.0 C 0.81 1.10 VC 0.57 2.0 C 0.81 1.11 1.0 VC 0.57 2.0 C 0.86 1.10 VC 0.86 1.10 VC 0.81 1.11 1.0 VC 0.81 1.11 1.0 VC 0.81 1.0 VC 0.91 1.0 VC 0.96 1.11 1.0 VC 0.96 1.11 1.0 VC 0.96 1.11 1.0 VC 0.91 1.0 VC		2.0	M	0.32
1.0 C 0.34	TT11001	3.0	F	0.39
1.0 C 0.34	(100)	4.0		165083990
1.0 C 0.34				12.020000
TT110015 3.0 M 0.48 (100) 4.0 M 0.68 5.0 F 0.76 6.0 F 0.83 1.0 C 0.46 2.0 C 0.65 TT11002 3.0 M 0.79 (50) 4.0 M 0.91 5.0 M 1.02 6.0 F 1.12 1.0 VC 0.57 2.0 C 0.81 TT110025 3.0 M 0.99 (50) 4.0 M 1.14 5.0 M 1.28 6.0 M 1.40 1.0 VC 0.68 6.0 M 1.40 1.0 VC 0.67 2.0 C 0.96 TT11003 3.0 C 1.88 (50) 4.0 M 1.67 TT11004 0 C 1.82 5.0 M 2.04 (50) 4.0 C 1.82 TT11005 3.0 C 1.97 (50) 4.0 C 2.27 5.0 C 2.54 6.0 M 2.79 TT11006 3.0 C 2.74 5.0 C 2.74 5.0 C 2.74 5.0 C 2.54 6.0 M 3.35 TT11008 3.0 C 3.66 (50) 4.0 C 2.74 5.0 C 2.58 TT11008 3.0 C 3.16 (50) 4.0 C 3.65 TT11008 3.0 C 3.16				
TT110015 3.0 M 0.59 (100) 4.0 M 0.68 5.0 F 0.83 1.0 C 0.65 1.12 (50) 4.0 M 0.99 (50) 4.0 M 0.99 (50) 4.0 M 1.14 5.0 M 1.28 6.0 M 1.40 (50) 4.0 M 1.36 5.0 M 1.50 (50) 4.0 M 1.50	i i		-	
(100) 4.0 M 0.68 5.0 F 0.76 6.0 F 0.83 1.0 C 0.66 2.0 C 0.65 TT11002 3.0 M 0.79 (50) 4.0 M 0.91 5.0 M 1.02 6.0 F 1.12 1.0 VC 0.57 2.0 C 0.81 TT110025 3.0 M 0.99 (50) 4.0 M 1.40 1.0 VC 0.68 2.0 C 0.96 6.0 M 1.40 1.0 VC 0.68 2.0 C 0.96 6.0 M 1.52 6.0 M 2.04 1.0 XC 0.91 1.0 XC 0.91 1.0 XC 1.58 1.0 XC 2.54 1.0 XC 1.58 1.0 XC 1.58 1.0 XC 1.58 1.0 XC 1.58 1.0 XC 2.54 1.0 XC 1.58 1.0 XC 1.58 1.0 XC 2.54 1.0 XC 1.58 1.0 XC 2.54 1.0 XC 2.54 1.0 XC 2.58	-		W 635	
5.0	The state of the s		11(4)(4)	0.0000000000000000000000000000000000000
1.0 C 0.65 C	(100)			
TT11002 3.0 M 0.79 (50) 4.0 M 0.91 (50) 4.0 M 0.91 (50) 4.0 M 0.91 (50) 4.0 M 0.91 (50) 4.0 M 1.02 (50) 4.0 M 1.03 (50) 4.0 M 1.14 (50) M 1.0 VC 0.58 (50) 4.0 M 1.28 (50) 4.0 M 1.36 (50) 4.0 M 1.36 (50) 4.0 M 1.36 (50) 4.0 M 1.36 (50) M 1.52 (50)				F77(10.555)
TT11002 3.0 M 0.79 (50) 4.0 M 0.91 5.0 M 1.02 6.0 F 1.12 1.0 VC 0.57 2.0 C 0.81 TT110025 3.0 M 0.99 (50) 4.0 M 1.40 1.0 VC 0.68 2.0 C 0.96 6.0 M 1.40 2.0 C 0.96 1.18 2.0 C 0.96 6.0 M 1.52 6.0 M 2.04 1.0 XC 0.91 2.0 C 1.29 1.10 XC 0.91 2.0 C 1.58 (50) 4.0 C 1.82 2.0 VC 1.61 1.0 XC 1.81 2.0 VC 1.61 1.0 XC 1.71 1.0 XC 1.82 2.0 VC 1.94 1.0 XC 1.71 1.0 XC 1.72 1.0 XC 1.74 1.0 XC 1.75 1.0 XC 1	3			0.0000000000000000000000000000000000000
TT11002 3.0 M 0.79 (50) 4.0 M 0.91 5.0 M 1.02 6.0 F 1.12 1.0 VC 0.57 2.0 C 0.81 TT110025 3.0 M 0.99 (50) 4.0 M 1.40 1.0 VC 0.68 6.0 M 1.40 1.0 VC 0.68 1.0 VC 0.69 1.0 VC 0.68 1.0 VC 0.6 VC				100000000000000000000000000000000000000
(50) 4.0 M 0.91 5.0 M 1.02 6.0 F 1.12 1.0 VC 0.57 2.0 C 0.81 TT110025 3.0 M 0.99 (50) 4.0 M 1.14 5.0 M 1.28 6.0 M 1.40 1.0 VC 0.68 2.0 C 0.96 TT11003 3.0 C 1.18 (50) 4.0 M 1.52 6.0 M 1.67 1.0 XC 0.91 2.0 C 1.29 TT11004 3.0 C 1.58 (50) 4.0 C 1.82 5.0 M 2.04 6.0 M 2.73 (50) 4.0 C 2.27 5.0 C 2.54 6.0 M 2.74 TT11006 3.0 C 2.74 5.0 C 3.66 6.0 M 3.35 TT11008 3.0 C 3.16 (50) 4.0 C 2.58 TT11008 3.0 C 3.16 (50) 4.0 C 3.65 C 2.54 C 2.0 VC 2.58 TT11008 3.0 C 3.16 (50) 4.0 C 3.65 C 3.06 C 3.06 C 4.08	TT11002		40000	100000000000000000000000000000000000000
1.0 0.0			200	22000000
1.0 C C C C C C C C C	(50)		25720	1800000
TT110025 3.0 M 0.99 (50) 4.0 M 1.40 1.0 VC 0.68 2.0 C 0.96 6.0 M 1.40 2.0 C 0.96 TT11003 3.0 C 1.18 (50) 4.0 M 1.52 6.0 M 2.04 6.0 M 2.23 TT11005 3.0 C 1.97 (50) 4.0 C 2.27 5.0 C 2.54 6.0 M 2.79 TT11006 3.0 C 2.37 (50) 4.0 C 2.74 5.0 C 3.66 6.0 M 3.35 TT11008 3.0 C 3.66 6.0 M 3.35 TT11008 3.0 C 3.66 (50) 4.0 C 2.58 TT11008 3.0 C 3.66 (50) 4.0 C 3.65 5.0 C 4.08				505/6/6/8
TT110025 3.0 M 0.99 (50) 4.0 M 1.14 5.0 M 1.28 6.0 M 1.40 1.0 VC 0.68 2.0 C 0.96 TT11003 3.0 C 1.18 (50) 4.0 M 1.52 6.0 M 2.04 1.0 XC 0.91 1.0 XC 1.94 1.0 XC 1.14 2.0 VC 1.61 TT11005 3.0 C 1.97 (50) 4.0 C 2.27 5.0 C 2.54 6.0 M 2.79 TT11006 3.0 C 2.37 (50) 4.0 C 2.74 5.0 C 3.66 6.0 M 3.35 TT11008 3.0 C 3.66 6.0 M 3.35 1.0 XC 1.82 2.0 VC 1.94 TT11006 3.0 C 2.74 5.0 C 3.66 6.0 M 3.35 TT11008 3.0 C 3.66 6.0 M 3.35 1.0 XC 1.82 2.0 VC 2.58 TT11008 3.0 C 3.66 6.0 M 3.35 5.0 C 4.08				
TT110025 3.0 M 0.99 (50) 4.0 M 1.14 5.0 M 1.28 6.0 M 1.40 1.0 VC 0.68 2.0 C 0.96 TT11003 3.0 C 1.18 (50) 4.0 M 1.67 1.0 XC 0.91 2.0 C 1.29 TT11004 3.0 C 1.82 5.0 M 2.04 6.0 M 2.23 TT11005 3.0 C 1.97 (50) 4.0 C 2.27 5.0 C 2.54 6.0 M 2.79 TT11006 3.0 C 2.74 5.0 C 2.74 5.0 C 3.66 6.0 M 3.35 TT11008 3.0 C 3.16 (50) 4.0 C 2.74 5.0 C 3.66 5.0 C 2.58 TT11008 3.0 C 3.16 (50) 4.0 C 2.74 5.0 C 3.66				213259
(50) 4.0 M 1.14 5.0 M 1.28 6.0 M 1.40 1.0 VC 0.68 2.0 C 0.96 1711003 3.0 C 1.18 (50) 4.0 M 1.52 6.0 M 1.52 6.0 M 1.67 1.0 XC 0.91 2.0 C 1.29 1711004 3.0 C 1.88 (50) 4.0 C 2.27 5.0 M 2.04 6.0 M 2.23 1.1	TT110025		-	V25000000
1.0 VC 0.91	190600000000000000000000000000000000000		550	London/W
1.0	1307		DOM:	100 Y D SS 40
TT11003 3.0 C 1.18 (50) 4.0 M 1.36 5.0 M 1.52 6.0 M 1.67 1.0 XC 0.91 2.0 C 1.29 TT11004 3.0 C 1.88 (50) 4.0 C 1.82 5.0 M 2.04 6.0 M 2.23 1.0 XC 1.14 2.0 VC 1.61 TT11005 3.0 C 1.97 (50) 4.0 C 2.27 5.0 C 2.54 6.0 M 2.79 TT11006 3.0 C 2.37 (50) 4.0 C 3.65 5.0 C 3.66 5.0 C 3.66 5.0 C 4.08		6.0	M	
TT11003 3.0 C 1.18 (50) 4.0 M 1.36 5.0 M 1.52 6.0 M 1.67 1.0 XC 0.91 2.0 C 1.29 TT11004 3.0 C 1.88 (50) 4.0 C 1.82 5.0 M 2.04 6.0 M 2.23 1.0 XC 1.14 2.0 VC 1.61 TT11005 3.0 C 1.97 (50) 4.0 C 2.27 5.0 C 2.54 6.0 M 2.79 TT11006 3.0 C 2.37 (50) 4.0 C 3.65 5.0 C 3.66 5.0 C 3.66 5.0 C 4.08		1.0	VC	0.68
(50) 4.0 M 1.36 5.0 M 1.52 6.0 M 1.52 6.0 M 1.67 1.0 XC 0.91 1.0 XC 1.58 (50) 4.0 C 1.82 5.0 M 2.04 6.0 M 2.23 1.0 XC 1.14 2.0 VC 1.61 7111005 3.0 C 2.27 5.0 C 2.54 6.0 M 2.79 1.0 XC 1.37 (50) 4.0 C 2.37 (50) 4.0 C 2.74 5.0 C 3.66 6.0 M 3.35 (50) 4.0 C 2.74 5.0 C 3.66 7.0 M 3.0 C 3.66		2.0		0.96
1.0 XC 1.37	TT11003	3.0		1.18
1.0 XC 0.91	(50)		M	1.36
T111004 3.0 C 1.58 (50) 4.0 C 1.82 5.0 M 2.04 6.0 M 2.23 T111005 3.0 C 1.97 (50) 4.0 C 2.27 5.0 C 2.54 6.0 M 2.79 T111006 3.0 C 2.37 (50) 4.0 C 2.37 (50) 4.0 C 2.37 (50) 4.0 C 3.65 T111008 3.0 C 3.06 (50) 4.0 C 3.65 T111008 3.0 C 3.66 (50) 4.0 C 3.65				
TT11004 3.0 C 1.58 (50) 4.0 C 1.82 (50) M 2.04 (60 M 2.23 (71) (50) 4.0 C 2.27 (50) 4.0 C 2.74 (50) 4.0 C 2.58 (50) 4.0 C 2.58 (50) 4.0 C 2.58 (50) 4.0 C 2.58 (50) 4.0 C 3.65 (50) 4.0 C 3.65 (50) 4.0 C 3.65 (50) 4.0 C 3.65 (50) 4.0 C 2.365 (50) 4.0 C 2.36			1 × 1 × 1 × 1 × 1	
TT11004 3.0 C 1.58 (50) 4.0 C 1.82 5.0 M 2.04 6.0 M 2.23 1.0 XC 1.14 2.0 VC 1.61 TT11005 3.0 C 2.54 6.0 M 2.79 1.0 XC 1.37 2.0 VC 1.94 1.1006 3.0 C 2.37 (50) 4.0 C 2.74 5.0 C 3.06 6.0 M 3.35 1.0 XC 1.82 2.0 VC 2.58 TT11008 3.0 C 3.16 (50) 4.0 C 3.65				
(50) 4.0 C 1.82 5.0 M 2.04 6.0 M 2.23 1.0 XC 1.14 2.0 VC 1.61 TT11005 3.0 C 1.97 (50) 4.0 C 2.27 5.0 C 2.54 6.0 M 2.79 1.0 XC 1.37 2.0 VC 1.94 TT11006 3.0 C 2.37 (50) 4.0 C 2.74 5.0 C 3.06 6.0 M 3.35 TT11008 3.0 C 3.65 (50) 4.0 C 3.65 TT11008 3.0 C 3.16 (50) 4.0 C 3.65 5.0 C 4.08	TT11004			10000000
5.0 M 2.04	THE RESIDENCE OF THE PARTY OF T			
1.0 XC 1.14	(50)		-	
TT11005 3.0 C 1.97 (50) 4.0 C 2.74 (50) 4.0 C 2.37 (50) 4.0 C 2.37 (50) 4.0 C 2.37 (50) 4.0 C 2.74 (50) 4.0 C 3.65 (50) 4.0 C 3.66 (50) 4.0 C 3.66 (50) 4.0 C 3.65 (50) C 4.08			2270	50690000
TT11005 3.0 C 1.97 (50) 4.0 C 2.27 5.0 C 2.54 6.0 M 2.79 1.0 XC 1.37 2.0 VC 1.94 TT11006 3.0 C 2.37 (50) 4.0 C 2.74 5.0 C 3.06 6.0 M 3.35 1.0 XC 1.82 2.0 VC 2.58 TT11008 3.0 C 3.16 (50) 4.0 C 3.65 5.0 C 4.08			(0.00)	
T111005 3.0 C 1.97 (50) 4.0 C 2.27 5.0 C 2.54 6.0 M 2.79 1.0 XC 1.37 2.0 VC 1.94 T111006 3.0 C 2.37 (50) 4.0 C 2.74 5.0 C 3.06 6.0 M 3.35 1.0 XC 1.82 2.0 VC 2.58 T111008 3.0 C 3.166 (50) 4.0 C 3.65 5.0 C 4.08			VC	7.63000000000000000000000000000000000000
(50) 4.0 C 2.27 5.0 C 2.54 6.0 M 2.79 1.0 XC 1.37 (50) 4.0 C 2.74 5.0 C 3.06 6.0 M 3.35 1.0 XC 1.82 2.0 VC 2.58 TT11008 3.0 C 3.66 (50) 4.0 C 3.65 (50) 4.0 C 3.65 (50) 4.0 C 3.65 (50) 4.0 C 3.65 (50) 4.0 C 3.65	TT11005			1750000
5.0 C 2.54 6.0 M 2.79 1.0 XC 1.37 2.0 VC 1.94 TT11006 3.0 C 2.37 (50) 4.0 C 2.74 5.0 C 3.06 6.0 M 3.35 1.0 XC 1.82 2.0 VC 2.58 TT11008 3.0 C 3.16 (50) 4.0 C 3.65 5.0 C 4.08	1 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5			1400000
1.0 XC 1.37	(30)			
TT11006 3.0 C 2.37 (50) 4.0 C 2.74 (50) 6.0 M 3.35 (2.0 VC 1.82 (2.0 VC 2.58 (50) 4.0 C 3.66 (50) 4.0 C 3.65 (50) 4.0 C 3.65 (50) 4.0 C 4.08		6.0		2.79
TT11006 3.0 C 2.37 (50) 4.0 C 2.74 5.0 C 3.06 6.0 M 3.35 T111008 3.0 C 2.58 TT11008 3.0 C 3.66 (50) 4.0 C 3.65 5.0 C 4.08		1.0	XC	1.37
(50) 4.0 C 2.74 5.0 C 3.06 6.0 M 3.35 1.0 XC 1.82 2.0 VC 2.58 TT11008 3.0 C 3.16 (50) 4.0 C 3.65 5.0 C 4.08		2.0		1.94
5.0 C 3.06 6.0 M 3.35 1.0 XC 1.82 2.0 VC 2.58 TT11008 3.0 C 3.16 (50) 4.0 C 3.65 5.0 C 4.08	TT11006	3.0		2.37
6.0 M 3.35 1.0 XC 1.82 2.0 VC 2.58 TT11008 3.0 C 3.65 (50) 4.0 C 3.65 5.0 C 4.08	(50)			HARDON CO. CO.
TT11008 3.0 C 3.16 (50) 4.0 C 3.65 5.0 C 4.08			Name and Address of the Owner, where the Owner, which the Owner, where the Owner, which the	0.00000000
7T11008 3.0 C 3.16 (50) 4.0 C 3.65 5.0 C 4.08			1,000	1257777
TT11008 3.0 C 3.16 (50) 4.0 C 3.65 5.0 C 4.08				
(50) 4.0 C 3.65 5.0 C 4.08				
5.0 C 4.08				11000000000
	(50)			10/20/2004
6.0 M 4.47			100	115000055
		0.0	IVI	4.4/

TURBO

2, 4 - D Compliant



Twin Flat Spray Tips

110° wide angle, air induction, tapered flat spray tip pattern based on the patented outlet orifice design of the original Turbo TeeJet® nozzle

Patented orifice design provides large, round passages to minimize plugging.

Depending on the chemical, produces large air-filled drops through a **Venturi air aspirator** resulting in less drift

Applications

Herbicides, fungicides and insecticides

SKU	DESCRIPTION	COLOUR	RRP*(\$)
TTI110015-VPX10			
TTI11002-VPX10	Turbo TeeJet	1	
TTI110025-VPX10	(PACK of 10)	2.4	
TTI11003-VPX10	(FACK 01 10)	0	
TTI11004-VPX10			

3(1)	PSI	DROP SIZE	CAPACITY ONE NOZZLE IN GPM	CAPACIT ONE NOZZLE IN OZ/MIN
TTI110015 (100)	15 20 30 40 50 60 70 80 90	UC UC UC UC UC XC XC XC XC XC	0.092 0.11 0.13 0.15 0.17 0.18 0.20 0.21 0.23 0.24	12 14 17 19 22 23 26 27 29 31
TTI11002 (50)	15 20 30 40 50 60 70 80 90 100	UC UC UC UC UC UC VC XC XC XC	0.12 0.14 0.17 0.20 0.22 0.24	15 18 22 26 28 31 33 36 38 41
TTI110025 (50)	20 30 40 50 60 70 80 90	UC UC UC UC UC UC VC XC XC XC	0.26 0.28 0.30 0.32 0.15 0.18 0.22 0.25 0.28 0.31 0.33 0.35 0.38 0.40	19 23 28 32 36 40 42 45 49 51
TTI11003 (50)	15 20 30 40 50 60 70 80 90	UC UC UC UC UC UC UC VC XC XC XC	0.40 0.18 0.21 0.26 0.30 0.34 0.37 0.40 0.42 0.45 0.47	27 33 38 44 47 51 54 58 60
TTI11004 (50)	15 20 30 40 50 60 70 80 90 100	UC UC UC UC UC UC XC XC XC	0.47 0.24 0.28 0.35 0.40 0.45 0.49 0.53 0.57 0.60 0.63	31 36 45 51 58 63 68 73 77 81
TTI11005 (50)	15 20 30 40 50 60 70 80 90		0.31 0.35 0.43 0.50 0.56 0.61 0.66 0.71 0.75	40 . 45 . 55 . 64 . 72 . 78 . 84 . 91 . 96 .
TTI11006 (50)	15 20 30 40 50 60 70 80 90	UC UC UC UC UC UC XC XC XC XC	0.79 0.42 0.52 0.60 0.67 0.73 0.79 0.85 0.90 0.95	47 54 67 77 86 93 101 109 115 122

*GST included | Freight Rates Apply